The original and first cor of this report are to be JAN 10 197WARER WELL REPORT filed with the

state engineer, salem, or solve the datealem of well completion.

STATE of oregon state of oregon within 30 days from the datealem of well completion.

Coly	State Well No. 5 N 4W-23
1460	State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:	
Name William A. RAINBOLT	County Colo 2001 Driller's well number	
Name William A. RAINBOLT Address STRT SCAPPOOSE, ORE	1/4 1/4 Section 2 (3 T.5 N R. 4 27, W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	
New Well Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 12.		
	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.	
Rotary Driven Domestic Industrial Municipal Domestic	Static level / ft. below land surface. Date / //	
Dug	Artesian pressure lbs. per square inch. Date	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing	
(Diam. from	Depth drilled ft. Depth of completed well ft.	
" Diam. from ft. to ft. Gage		
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,	
PERFORATIONS: Perforated? [] Yes [W No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.	
Torrormon, El Tron		
Type of perforator used	MATERIAL From To SWL	
Size of perforations in. by in.	SOLL BLACK 2 2 2 0	
perforations from	Clay Sandy BROWN & 18 0	
perforations from ft. to ft.	COUD GROV 36 500 0	
perforations from ft. to ft.	SAMO GRAY 36 35 0	
(7) SCREENS: Well screen installed? Yes Ano	MOUS ONE GRUY 155 80 16	
Manufacturer's Name		
Type	-	
Diam Slot size ft. to ft.		
Diam. Slot size Set from ft. to ft.		
(0) TITLE I HISCHIC Drawdown is amount water level in	₽	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
<i>"</i> " "		
" " " " "		
Bailer test / 2 gal./min. with \angle t. drawdown after 9 hrs.		
Artesian flow g.p.m.		
Emperature of water 5 Depth artesian flow encountered ft.	Work started 19 7/Completed 19 7/	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	
Well seal-Material used Pullo Led Chay Drilling Machine Operator's Certification:		
Well sealed from land surface to	Materials used and information reported above are true to my best knowledge and belief.	
Diameter of well bore below seal		
Number of sacks of cement used in well sealsacks	[Signed] Date J., 19	
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No	
Brand name of bentonite		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Was a drive shoe used? Yes No Plugs Size: location ft.		
Did any strata contain unusable water? Yes No	Name GA (Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address ALBOX732 ST RELEMS	
Method of sealing strata off	sand To	
Was well gravel packed? ☐ Yes No Size of gravel:	[Signed] (Water Well Contractor)	
Gravel placed from	Contractor's License No. 2.3. S Date 1914 195/	
The state of the s	Date 19	