NOTICE TO WATER WELL CONTRACTOR The original and first cony of this report are to be

filed with the

within 30 days from the date of well completion.

VATER WELL REPORTE EVED

7N/2W-19 Ad State Well No. Well #2

STATE OF OREGONAY 2 8 1975

STATE ENGINEER, SALEM, OREGON 97310

(Please type or print)
STATE ENGINEER (Do not write above this line) SALEM, OREGON

:						
Citata	Permit	NT.	-		•	L
State Permit		MO.	***************************************			

(10) LOCATION OF WELL: (1) OWNER: County Columbia Driller's well number Bearing and distance from section or subdivision corner (2) TYPE OF WORK (cheek): Reconditioning [New Well Deepening Abandon | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Domestic | Industrial | Municipal Static level 23 ft. below land surface. Date Cable Jetted [] Irrigation | Test Well | Other Bored 🔲 Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded | Welded -(12) WELL LOG: Diameter of well below casing ... 6 " Diam. from + 1 6" ft. to 75 ft. Gage 250 Depth drilled 162/2 ft. Depth of completed well 5 " Diam. from 68 6" ft. to 162 6" ft. Gage 188 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Yes | No. Type of perforator used Torch MATERIAL. Size of perforations in. by 40 perforations from 120 ft. to 162'6"ft. perforations from _____ ft. to _____ ft. 61 perforations from _____ft. to _____ft. 68 (7) SCREENS: Well screen installed? | Yes | No Manufacturer's Name 91 91 96 Diam. Slot size Set from ft. to ft. medium broken Rock & gravel broken Rock grenablue Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Yes \(\subseteq \text{No If yes, by whom?} \(\subseteq \text{\$\illim{\text{II}} \\ \text{\$\ext{\$\tex{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\exitit{\$\text{\$\text{\$\}\exititt{\$\text{\$\text{\$\text{\$\$}\}}}\text{\$\text{\$\text{\$\text{\$\text{\$\te Yield: 75 gal./min. with 1396ft. drawdown after 1/2 hrs. Rotory tested At Bailer test gal./min. with ft. drawdown after Artesian flow g.p.m. erature of water Depth artesian flow encountered ft. Work started MAY / 1975 Completed MAY 2 197 Date well drilling machine moved off of well (9) CONSTRUCTION: vement Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Well sealed from land surface to Materials used and information reported above are true to my Diameter of well bore to bottom of seal _______in. best knowledge and belief. [Signed] Lole Mc Dhar Date 5-26, 1975 Diameter of well bore below seal Number of sacks of cement used in well seal _______ 20 ____ sacks Drilling Machine Operator's License No. 363 Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? Wes | No Plugs Size: location ft. Name DAIE //c 6/20 Well Did any strata contain unusable water?

Yes

No Type of water? depth of strata Method of sealing strata off Was well gravel packed? ☐ Yes ☐ No Size of gravel: Contractor's License No. 424Date 5-26, 19 Gravel placed from ft. to