NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97300
within 30 days from the date
of well completion.

## WATER WELL REPORT E C

STATE OF OREGON

(Please type or print)

(Do not write above this line) ATER RESOURCES DEPT

(1) OWNER:	(10) LOCATION OF WELL:			
Name Alston Corner-Assemble God Chik	County Colimbia Driller's well nu	mber		
Address 1/5701'S Corner	NE 1/4 NU 1/4 Section /5 T. 7/1 R. 3 West W.M.			
Clatskunie Oregoin	Bearing and distance from section or subdivision	on corner		
(2) TYPE OF WORK (check):	•			
New Well Deepening Reconditioning Abandon				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	/	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 40 ft.			
y ☑ Driven ☐ Domestic ☑ Industrial ☐ Municipal ☐	Static level 29 ft. below land s	urface. I	Date O	CT 18
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square	e inch. I	Date	
(5) CASING INSTALLED: Threaded  Welded W				111
(5) CASING INSTALLED: Threaded Welded &	(12) WELL LOG: Diameter of well below casing			
Diam. from 32 ft. to 86 ft. Gage	Depth drilled 8.5 ft. Depth of completed well 8.5 ft.			
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,			
	with at least one entry for each change of formation. Report each change in			
(6) PERFORATIONS: Perforated?   Yes No.	position of Static Water Level and indicate prin	cipal wate	er-bearir	ng strata.
Type of perforator used	MATERIAL	From	То	swL
Size of perforations in, by in.	CLAY GREY	0	17	
perforations from ft. to ft.	Shabe GREY	17	32 Z	
perforations from ft. to ft.	CLAT GREY	32	57	
perforations fromft. toft.	SHALLE GALY -	37	68	29
(7) SCREENS: Well screen installed?   Yes No	-WAIE BEARING	40	68	29
Manufacturer's Name	BASHLT BLOCK	68	6	CLE
Type Model No	Unsur-1 WENTERS	<u> </u>	85	29
Diam Slot size Set from ft. to ft.	, and a second s		7.5	
Diam, Slot size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is				·.
lowered below static level	APPLICATION CONTRACTOR			
a pump test made? Yes No If yes, by whom?				
Yield: 9 gal./min. with 3/ ft. drawdown after # hrs.				
<i>"</i> " " " " " " " " " " " " " " " " " "				
" " " "				
r test gal./min. with ft. drawdown after hrs.				-
Artesian flow g.p.m.				
Temperature of water Depth artesian flow encountered ft.	Work started SCAT 281981 Complete	a OCT	- Z	1981
(9) CONSTRUCTION:	Date well drilling machine moved off of well	DET	2	198/
Carra 11 for	Drilling Machine Operator's Certification:			
Well seal—Material used Clmx V  Well sealed from land surface to 40 ft.	This well was constructed under my	direct	super	vision.
Diameter of well bore to bottom of seal	Materials used and information reported best knowledge and belief.			
Diameter of well bore below sealin.		Date Oc	273	81
Number of sacks of cement used in well seal9	[Signed] (Drilling Machine Operator)			•
How was cement grout placed? Poured BY	Drilling Machine Operator's License No	103	32	• • • • • • • • • • • • • • • • • • • •
STAND PIPE ON TOP OF PLA	XXX.4 XXX.XX. (***************************	<del></del>		
GRAVKL - Z' OF GRAVEL	Water Well Contractor's Certification:			
. /	This well was drilled under my jurisdictrue to the best of my knowledge and beli	ction and ef.	i this r	eport is
Was a drive shoe used? EYes   No Plugs Size: location	Name HL BRUCE			
Did any strata contain unusable water?   Yes   No	(Person, firm or corporation)	(Tyr	e or prin	it)
Type of water? depth of strata	Address	VC	CO.	27
Method of sealing strata off	[Signed] Al Stud		400	
Was well gravel packed? Yes   No_ Size of gravel: Pen	(Water Well Contra	ctor)		
Gravel placed from 42 tt. to 40 ft.	Contractor's License No. 704 Date	UT.	3	., 19.8/
(USE ADDITIONAL SH	EETS IF NECESSARY)		SI	*45656-119