

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT RECEIVED NOV 1 1974

State Well No. 3N/1W-7 State Permit No.

(1) OWNER:

Name Rudd Trailer Court Address Rt 2 Box 316 B Scappell

(10) LOCATION OF WELL:

County Columbia Driller's well number 7 T. 3 R. 1 W W.M. Bearing and distance from section or subdivision corner

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

(3) TYPE OF WELL:

Rotary Cable Dug Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other

CASING INSTALLED:

6" Diam. from 0 ft. to 73 ft. Gage .250

PERFORATIONS:

Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? Yes No Yield: 36 gal./min. with 13 ft. drawdown after 24 hrs.

(9) CONSTRUCTION:

Well seal-Material used Cement grout Well sealed from land surface to 76 ft. Diameter of well bore to bottom of seal 12 in. Diameter of well bore below seal 6 in. Number of sacks of cement used in well seal 54 sacks Number of sacks of bentonite used in well seal 3 sacks Brand name of bentonite Quik-Dell Number of pounds of bentonite per 100 gallons of water Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable water? Yes No Type of water? depth of strata Method of sealing strata off Was well gravel packed? Yes No Size of gravel: Gravel placed from ft. to ft.

(11) WATER LEVEL: Completed well.

Depth at which water was first found 10 ft. Static level 8 ft. below land surface. Date 6-9-74 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing Depth drilled 73 ft. Depth of completed well 73 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include: Top soil, yellow clay, Gravel, Blue clay, Gravel, Brown Sand, Cement Gravel, Gravel - large.

- Repaired well seal of original well casing. 5/28/74 to 6/11/74

- 6" casing pulled, drilled 12" hole to a depth of 26 feet. Installed 6" casing back in hole. Filled annulus w/ cement grout, pumped 12, used 54 sacks cement, 3 sacks of Quik-Dell

Work started Aug 12 1974 Completed Aug 25 1974 Date well drilling machine moved off of well Aug 29 1974

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] J. M. Brueghe Date 11/4, 1974 (Drilling Machine Operator)

Drilling Machine Operator's License No. 39

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name F. E. McKnight (Person, firm or corporation) (Type or print) Address 840 West St. J. T. H. 1015

[Signed] F. E. McKnight (Water Well Contractor)

Contractor's License No. 420 Date 11/4, 1974

WATER WELL CONTRACTOR
NOTICE TO ORIGINAL and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

NO WATER WELL REPORT
RECEIVED
STATE OF OREGON
(Please type or print)
NOV 4 1974
(Do not write above this line)

State Well No. 3N/1W-7

State Permit No. _____

STATE ENGINEER
SALEM, OREGON

(1) OWNER: Rudd Trailer Co
Name Rudd Trailer Co
Address 1112 2nd St SE
30000

(10) LOCATION OF WELL:
County Clatsop Driller's well number _____
¼ Section 7 T. 3 R. 1 W W.M.
Bearing and distance from section or subdivision corner _____

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Dug Bored

(11) WATER LEVEL: Completed well.
Depth at which water was first found 10 ft.
Static level 8 ft. below land surface. Date 6/19/74
Artesian pressure _____ lbs. per square inch. Date _____

(6) CASING INSTALLED: Threaded Welded
6" Diam. from 0 ft. to 73 ft. Gage 750
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(12) WELL LOG: Diameter of well below casing 6
Depth drilled _____ ft. Depth of completed well 74 ft.
Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

(7) PERFORATIONS: Perforated? Yes No.
Type of perforator used _____
Size of perforations in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

MATERIAL	From	To	SWL
TOP SOIL	0	5	
YELLOW CLAY	5	8	
GRAVEL	8	20	
BLUE CLAY	20	30	
GRAVEL	30	50	
BROWN SAND	50	60	
CEMENT GRAVEL	60	70	
GRAVEL LAYER	70	73	

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" " " " " "
" " " " " "
Bailer test 40 gal./min. with 30 ft. drawdown after 20 hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

Work started 5/28 1974 Completed 6/11 1974
Date well drilling machine moved off of well 6/12 1974

(9) CONSTRUCTION: Well seal—Material used Cement
Well sealed from land surface to _____ ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 7 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons _____
of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.
[Signed] Morgan McNeil Date 7/10, 1974
(Drilling Machine Operator)
Drilling Machine Operator's License No. 808

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.
Name FL Mr Knight
(Person, firm or corporation) (Type or print)
Address 820 West St. Helens Ore
[Signed] FL Mr Knight
(Water Well Contractor)
Contractor's License No. 210 Date 7/10, 1974

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

Important and Will Log
WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED
APR 1 1975
STATE ENGINEER
SALEM, OREGON

State Well No. MAI 0 173

State Permit No. _____

RECEIVED

(1) OWNER: Rudd's Mobile Home Park
Name _____
Address _____

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Dug Bored

(5) CASING INSTALLED: Threaded Welded
6" Diam. from 0 ft. to 73 ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(6) PERFORATIONS: Perforated? Yes No.
Type of perforator used _____
Size of perforations in. by in.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name _____ Model No. _____
Type _____
Diam. Slot size Set from _____ ft. to _____ ft.
Diam. Slot size Set from _____ ft. to _____ ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was pump test made? Yes No If yes, by whom?
Yield 36 gal./min. with 20 ft. drawdown after 2 1/2 hrs.
" " " " " "
" " " " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:
Well seal—Material used Cement Grout
Well sealed from land surface to 20 ft. ft.
Diameter of well bore to bottom of seal 4 1/2 in.
Diameter of well bore below seal _____ in.
Number of sacks of cement used in well seal 45 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons _____
of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:
County _____ Driller's well number _____
1/4 1/4 Section T. 7 R. 1 W.M. _____
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.
Depth at which water was first found 8' ft.
Static level 10' ft. below land surface. Date _____
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing 6
Depth drilled 73 ft. Depth of completed well 73 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
TOP SOIL	0	5	
BLUE CLAY	5	30	
GRAVEL	30	45	
BROWN SAND	45	55	
CEMENT GRAVEL	55	60	
GRAVEL	65	70	70

Work started Mar 26 1974 Completed 4-18 1974
Date well drilling machine moved off of well 4-29 1974

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Regular McPherson Date _____, 19____
(Drilling Machine Operator)

Drilling Machine Operator's License No. 296

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name _____ (Person, firm or corporation) _____ (Type or print)
Address _____
[Signed] _____ (Water Well Contractor)
Contractor's License No. _____ Date _____, 19____