STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	80323
START CARD#	1000364

(1) LAND OWNER Owner Well I.D.7	(9) LOCATION OF WELL (legal description)		
First Name Last Name	County Columbia Twp 5.00 N N/S Range 1.00 W E/W WM		
Company CITY OF COLUMBIA CITY	Sec 28 SW 1/4 of the NE 1/4 Tax Lot 4400		
Address 1840 SECOND STREET	Tax Map Number Lot		
City COLUMBIA CITY State OR Zip 97018	Lat ° ' " or 45.88818100 DMS or DD		
(2) TYPE OF WORK New Well Deepening Conversion	Long or or -122.80843800 DMS or DD Street address of well Nearest address		
Alteration (repair/recondition) Abandonment	Total Street address of well Nearest address		
(3) DRILL METHOD	COLUMBIA CITY, OR. 97018		
Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other UNDERREAMER	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)		
	Existing Well / Predeepening		
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 03-05-2007 71.3		
Industrial/ Commercial Livestock Dewatering	Flowing Artesian? Dry Hole?		
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 83		
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy)			
Depth of Completed Well 148.00 ft.	02-15-2007 83 105 17 3WE(B) 73		
BORE HOLE SEAL sacks/	02-16-2007 116 146.5 300 73		
Dia From To Material From To Amt lbs			
14 0 39 Bentonite Chips 0 39 35 S			
11.5 39 150			
(11) WELL LOG Ground Elevation			
How was seal placed: Method A B C D E	Material From To		
Other Powerd	Brown Silt 0 2		
Backfill placed from ft. to ft. Material Filter pack from ft. to ft. Material Size	Brown Silty Gravel 2 8		
Filter pack from ft. to ft. Material Size	Brown Silty Clay 8 28		
Explosives used: Yes Type Amount	Brown Sandy Silt & Small to Medium Gravel 28 38		
Explosives used: Amount	Brown Fine to Medium Sand & Multicolored Gravel 38 83		
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Multicolored Small to Medium Round Gravel & Sand 83 114		
	Brown Fine to Medium Sand & Multicolored Gravel 114 116 Multicolored Large Round Gravel & Brown Sand 116 146.5		
● 10 × 3 76 .250 ● ○ ×	Brown Fine to Medium Sand 146.5 147.5		
● 10	Gray Sandstone 147.5 150		
8 112.5 113.5 .250	Time 150		
Shoe \square Inside \square Outside \square Other Location of shoe(s) $\underline{116}$			
Temp casing \bigvee Yes Dia $\underbrace{14}$ From $\underbrace{1}$ To $\underbrace{39}$			
(7) PERFORATIONS/SCREENS			
Perforations Method			
Screens Type V- Wire Material Stainless Steel			
Perf/ Casing/ Screen Screen Liner Dia From To width length slots pipe size Date Started 02-12-2007 Completed 03-05-2007			
Screen 7.5 116 121.4 .05 5	(unbonded) Water Well Constructor Certification		
Screen 7.5 121.4 126.8 .04 5	I certify that the work I performed on the construction, deepening, alteration, or		
Screen 7.5 126.8 132 .05 5	abandonment of this well is in compliance with Oregon water supply well		
Screen 7.5 132 137.4 .05 5	construction standards. Materials used and information reported above are true to		
Screen 7.5 137.4 142.8 .05 5	the best of my knowledge and belief.		
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date		
Pump Bailer	Electronically Filed		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed		
300 145 4	(bonded) Water Well Constructor Certification		
	I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work		
Temperature 53 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well		
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.		
From To Description Amount Units	License Number 1679 Date03-25-2007		
	Electronically Filed		
	Signed THOMAS R DANNISON JR (E-filed)		
	Contact Info (optional) (503)543-8383		