STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	90133
START CARD #	1001610

(1) LAND OWNER Owner Well I.D. 1	(A) I OCATION OF WELL (Local Local des)
	(9) LOCATION OF WELL (legal description)
First Name QUINTIN Last Name PEASLEY	County Columbia Twp 4.00 N N/S Range 1.00 W E/W WM
Company	Sec 18 SE 1/4 of the SE 1/4 Tax Lot 1204
Address 19978 HWY. 213 City OREGON CITY, State OR Zip 97045	Tax Map Number Lot DMS or DD
	Lat or bivis of bb
(2) TYPE OF WORK New Well Deepening Conversion	Long or DMS or DD
Alteration (repair/recondition) Abandonment	Street address of well • Nearest address
(A) PRILL MERILOR	ACROSS FROM 34840 BENNETT ROAD.
(3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
	Existing Well / Predeepening
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 07-26-2007 32
Industrial/ Commercial Livestock Dewatering	Flowing Artesian? Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 33
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy	SWL Date From To Est Flow SWL(psi) + SWL(ft)
Depth of Completed Well 166.00 ft.	07-21-2007 33 51 15 32
BORE HOLE SEAL sacks	07-24-2007 51 80 10 32
Dia From To Material From To Amt lbs	
12 0 22 Bentonite Chips 0 22 14 S	
10 22 166	
	(11) WELL LOG Ground Flevation
	Ground Elevation
How was seal placed: Method A B C D E	Material From To Brown Clay 0 2
Other POURED	Gray Stiff Clay 2 8
Backfill placed from ft. to ft. Material	Light Brown Silty Clay 8 19
Filter pack from ft. to ft. Material Size	Brown Silt 19 28
Explosives used: Yes Type Amount	Brown Gravely Clay 28 33
(6) CASINC/LINED	Multicolored Small to Medium Round Gravel 33 51
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	and Gray Fine to Medium Course Sand 33 51
(a) (b) (c) (8) (2) (165 .250 (b) (c) (c) (c)	Same but tighter compaction 51 80
	Gray Clay 80 105
	Brown & Red soft Basalt 105 149
	Brown Fine Sand 149 150
	Red Clay 150 153 Brown Weathered Basalt 153 166
Shoe Inside Outside Other Location of shoe(s) 165	Brown weathered basait 133 100
Temp casing Yes Dia 12 From 1 To 5	
(7) PERFORATIONS/SCREENS	
Perforations Method	
Screens Type Material	
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia From To width length slots pipe size	Date Started <u>07-19-2007</u> Completed <u>07-26-2007</u>
	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date
	Electronically Filed
Pump Bailer • Air Flowing Artesian	Signed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	<u> </u>
25 160 1	(bonded) Water Well Constructor Certification
	I accept responsibility for the construction, deepening, alteration, or abandonmen
	work performed on this well during the construction dates reported above. All work
Temperature 63 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well-construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) From To Description Amount Units	1
From To Description Amount Units	License Number 1679 Date 08-26-2007
	Electronically Filed Signed THOMAS R DANNISON JR (E-filed)
	8
	Contact Info (optional) (503)543-8383