STATE OF OREGON

RECEIVED 265/14W-23

WATER WELL REPORT	AUG 1 5 1984	
(as required by ORS 537.765) 003058PLEASE TYPE	WATER RESOURCES DEPT	(for official use only)
(1) OWNER:	(10) LOCANON OPRECIAL by legal description:	
Name South Slough Estuarine Sanctuary	County <u>COO.S</u> 4 4 of	Section 23 of
Address P.O. BOX S417 City Charleston State Of	Township 26 (Rownship is North or South), Range (R	
City charleston State of	(Township is North or South) (R Tax Lot Lot Block Subdivision	ange is East or West)
(2) TYPE OF WORK (check):	MAILING ADDRESS OF WELL (or nearest address)	wites Rel
	Charleston or	
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL of COMPLETI	ED WELL:
Rotary Air Driven Domestic Industrial Municipal D	Depth at which water was first found	<i>iC</i> #
Thermal:		nd surface. Date %-//-
Rotary Mud Dug Irrigation Withdrawal Reinjection Other:		quare inch. Date
☐ Bored ☐ Piezometric ☐ Grounding ☐ Test ☐		
(5) CASING INSTALLED: Steel Plastic	(12) WELL LOG: Diameter of well below casing	
Threaded Welded	Formation: Describe color, texture, grain size and structure of	materials; and show thickness
	and nature of each stratum and aquifer penetrated, with at leaformation. Report each change in position of Stafic Water	
"Diam from ft. to ft. Gauge	water-bearing strata.	notes and majoure principal
LINER INSTALLED: Steel Plastic Melded Welded	MATERIAL	From To SWL
Threaded U Welded U	TOP SOIL	0/
	Brown Clay	1 4
(6) PERFORATIONS: Perforated? ☐ Yes Size of perforations in. by in.	Sand clay stone	4 40
	Blue claustone	40 128
perforations from	Blue Sandstone	128 200
perforations from ft. to ft.		
perforations fromft. toft.		
(7) SCREENS: Well screen installed? Yes No	· · · · · · · · · · · · · · · · · · ·	
Manufacturer's Name		
Type		
Diam. Slot Size Set from ft. to ft. On the state of the		-
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom?		
gal./min. with ft. drawdown after hrs.		
, , , , , , , , , , , , , , , , , , ,		
Air test 10 gal./min. with drill stem at 200ft. / hrs.		
Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m.		 . - - - - - - - -
Artesian flow g.p.m. Depth artesian flow encountered		
	Date work started 8-9-84 /completed	8-11-84
(9) CONSTRUCTION: Special standards: Yes \(\text{No } \text{Z} \)	Date well drilling machine moved off of well	7-11-5 1984
Well seal—Material used 970UT CEMENT	(unbonded) Water Well Constructor Certificat	· · · · · · · · · · · · · · · · · · ·
Well sealed from land surface toft. Diameter of well bore to bottom of sealin.	This well was constructed under my direct super	
Diameter of well bore to bottom of seal	information reported above are true to my best know	
Amount of sealing material	[Signed]	ate19
How was cement grout placed? Tremy Dipe pumped		
	(bonded) Water Well Constructor Certification: Bond Issued by: (Surety Company Name)	
Was pump installed?	On behalf of Barring ton well Prilling (type or print name of Water Well Constructor)	
Was a drive shoe used? Yes No Plugs Size: location		(
Did any strata contain unusable water? Yes No	This well was drilled under my jurisdiction and this report is true to the	

Size of gravel:

depth of strata

Ľ N₀

Type of Water?

Gravel placed from ...

Method of sealing strata off

Was well gravel packed?

Yes

best of my knowledge and belief:

(Dated)