## WATER WELL REPORT STATE OF OREGON

MEDEIAEN JAN 91985

WATER RESOURCES PEPT EALEM, OREGOT PLEASE TYPE or PRINT IN INK

OOS te Permit No.

1) OWNER:	(10) LOCATION OF WELL:
Tame Phill Kuy Kenolall	County Driller's well number
Address Box 1215	14 14 Section 63 T. 27 R. 13 W.M.
State Or State Or	Tax Lot # Lot Blk Subdivision
2) TYPE OF WORK (check):	Address at well location: Some
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	(11) WARRING FRANK CO. LA J. II
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 14 ft. Static level 43 ft. below land surface. Date 12 - 10
lotary Air Driven   Domestic Municipal   Municipal	Artesian pressure lbs. per square inch. Date
totary Mud	(12) WELL LOG: Diameter of well below casing
5) CASING INSTALLED: Steel   Plastic	Depth drilled /OO ft. Depth of completed well /OO ft.
Threaded Welded Welded 6"Diam from \$\frac{1}{2}\$ ft. to \$\frac{32}{2}\$ ft. Gauge \$\frac{1}{2}\$ ft. to \$\frac{1}{2}\$ ft. to \$\frac{1}{2}\$ ft. Gauge \$\frac{1}{2}\$ ft. to \$\frac{1}{2}\$ ft. to \$\frac{1}{2}\$ ft. Gauge \$\frac{1}{2}\$ ft. Gauge \$\frac{1}{2}\$ ft. to \$\frac{1}{2}\$ ft. Gauge \$\frac{1}{2}\$ ft.	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
"Diam, fromft. toft. Gauge	
6) PERFORATIONS: Perforated? ☐ Yes ► No	Dark Brown clarstone 5 17
Type of perforator used	Blue sands for e 17 941
Size of perforations in. by in.	Brown claystone 94 100
ft. to	
perforations from	
perforations fromft. toft.	
(7) SCREENS: Well screen installed?   Yes No	
Manufacturer's Name	
Type Model No	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft. t	
(8) WELL TESTS: below static level	
Was a pump test made? ☐ Yes ☑ No If yes, by whom?	
d: gal/min. with ft. drawdown after hrs.	
<i>H</i>	
Air test / gal./min. with drill stem at / O Oft. / hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started Dec - 7 \$ 1984 Completed 12 - 10 1984
(9) CONSTRUCTION: Special standards: Yes \( \text{No } \( \text{D} \)	Date well drilling machine moved off of well $12 - 10$ 19 $8$
Well seal—Material used 910ut cement	(unbonded) Water Well Constructor Certification (if applicable):
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed]
Number of sacks of cement used in well sealsacks	Bonded Water Well Constructor Certification:
How was cement grout placed? pam ped tremy	Bond Issued by:
p)pe	This well was drilled under my jurisdiction and this report is true to
Was pump installed Depth ft.	the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes Wo Plugs	Name Barring ton we W Driking (Type or print)
Did any strata contain unusable water?   Yes No	Address 5973 Squader 14 Kg
Type of Water? depth of strata	[Signed] Ken Borrunglia
Method of sealing strata off	Woton Wat Constructor
Was well gravel packed? ☐ Yes 🖪 No Size of gravel:	Date 12-27 , 19.84
Gravel placed from ft. to ft.	, · · · · · · · · · · · · · · · · · · ·