NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be RECE WATER WELL REPORT filed with the

600\$ State Well No. 285 /14 w - 29

STATE ENGINEER, SALEM, OREGON 97610 T 1 0 1975 (Please type or print) within 30 days from the date of well completion.

WATER RESOURCES DEPT.

V	J	U		7.
/	17	2	~	7

(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:			
Name William Soper	County COOS Driller's well number			
Address P.O. Box 471	NET NEW NE 1/4 Section 29 T. 28s R. 14w W.M.			
Bandon, Oregon	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	bearing and distance from section of subdivision corner			
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL Completed well			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.			
	Depth at which water was first found 25 ft.			
Cable Jetted Domestic Industrial Municipal	Static level 201-3" ft. below land surface. Date 10-1-75			
Dug	Artesian pressure lbs. per square inch. Date			
(5) CASING INSTALLED: Threaded Welded K	(10) THIEFT I TOO			
6." Diam. from	(12) WELL LOG: Diameter of well below casing			
"Diam. from ft. to ft. Gage	Depth drilled 65 ft. Depth of completed well 64! 9" ft.			
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;			
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in			
PERFORATIONS: Perforated? Yes Y No.	position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used	MATERIAL From To SWL			
Size of perforations in. by in.				
perforations from ft. to ft.	Sandy soil brown 0 4			
perforations from ft. to ft.	Sand with clay tan 4 16			
perforations from	Sand medium tan 16 37			
/// CODEENC.	Sand medium brown 37 39			
(7) SCREENS: Well screen installed? Yes I No	Sandy peat dark brown 39 40			
Manufacturer's Name	Sand medium tan 40 43			
Type Stainless steel Model No. telescope	Sand coarse gray 43 46			
Diam. 6. Slot size 008set from 55!-9!! ft. to 64!-9!! ft.	Sand medium tan 46 52 Sand very coarse blue with 52 65			
Diam. Slot size Set from ft. to ft.	Sand very coarse blue with 52 65			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	gravel			
the contract of the contract o	Claystone gray = 65			
Was a pump test made? Yes No If yes, by whom?				
Yield: gal./min. with ft. drawdown after hrs.	The state of the s			
" " " " " " " " " " " " " " " " " " " "	The second section of the second section of the second section of the second section s			
n n	The state of the s			
Bailer test 38 gal./min. with 15 ft. drawdown after 1 hrs.				
Artesian flow g.p.m.				
perature of water 52 Depth artesian flow encountered	Work started Sept 29 19 75 completed Oct 1 1975			
(9) CONSTRUCTION:	Date well drilling machine moved off of well Oct 1 1975			
Well seal-Material used Bentonite	Drilling Machine Operator's Certification:			
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my			
Diameter of well bore to bottom of sealin.	best knowledge and belief			
Diameter of well bore below seal	[Signed] Mulli LL Date 10-7 1975			
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)			
Number of sacks of bentonite used in well seal 2 sacks				
Brand name of bentonite Yellowstone	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is			
of water 100 1b./50 gal. lbs./100 gals.	true to the best of my knowledge and belief.			
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name George R. Miller & Son			
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)			
Type of water? depth of strata	Address Route 1, Box 770 Bandon, Ore. 97411			
Method of sealing strata off	[Signed] (MILLU W. Miller			
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor)			
Gravel placed from ft. to ft.	Contractor's License No. 600 Date Oct. 7, 1975			