RECEIVED SEP181984

(for official use only)

WATER WELL REPORT (as required by ORS 537.765)

004485 PLEASE TYPE OF PRINT IN INCREGON

30=/	5W	-12bc
	•	_

(1) OWNER:	(10) LOCATION OF WELL by legal		1:	
Name Stephen D. Warnock	County Coos SW 1/4 NW 1/4 o		of	
Address Rt. 2, Box 1275	Township 30s , Range 15w (Township is North or South)	Range is East or West	, WM.	
City Bandon State Ore	Tax Lot 200 Lot Block Subdivision	tange is East of West		
(2) TYPE OF WORK (check):	MAILING ADDRESS OF WELL (or nearest address) Crof	t Road		
New Well Deepening □ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL of COMPLET	ED WELL:		
Rotary Air Driven Domestic Industrial Municipal	Depth at which water was first found 17		ft	
Rotary Mud Dug Irrigation Withdrawal Reinjection	2.1	and surface. Date	<u>8-18-84</u>	
Other: Piezometric Grounding Test	Artesian pressure lbs. per square inch. Date			
	(12) WELL LOG: Diameter of well below casing			
Threaded				
"Diam. from	water-bearing strata.			
LINER INSTALLED: Steel Plastic Melded Welded	MATERIAL	From To	SWL	
ft. toft. Gauge	Sandy soil brown	0 2	 	
(6) PERFORATIONS: Perforated? ☐ Yes 🗷 No	Sand medium brown	2 16		
Size of perforations in. by in.	Sand fine gray	16 34		
perforations from ft. to ft.	Sand medium gray	34 43		
perforations from ft. to ft.	Sand medium with fine gravel	43 56		
perforations from ft. to ft.	muddy brown			
(7) SCREENS: Well screen installed? X Yes \(\square\) No	Claystone blue	56 57	-	
Manufacturer's Name Johnson		 		
Type Statilless Steel Model No.		<u> </u>	· · · · ·	
Diam. 6 Slot Size •008 Set from 45 ft. to 56 ft.				
Diam. Slot Size		+ + +		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? ▼ Yes □ No If yes, by whom? Driller		 	.=	
d: 21 gal./min. with 8 ft. drawdown after 12 hrs.				
" " "			 	
Air test gal./min. with drill stem at ft. hrs.				
Bailer test . 30 gal./min. with 6 ft. drawdown after 1 hrs.				
Artesian flow g.p.m.				
perature of water 52 Depth artesian flow encounteredft.	Date work started 8-17-84 /complet	_{ed} 8-18-84	+	
(9) CONSTRUCTION: Special standards: Yes \square No \blacksquare	Date well drilling machine moved off of well	8-18-84	4 19	
Well seal—Material used Cement	(unbonded) Water Well Constructor Certific	ation (if applic	able):	
Well sealed from land surface to ft.	This well was constructed under my direct sup	ervision. Materi	als used and	
Diameter of well bore to bottom of sealin.	information reported above are true to my best kn	owledge and beli	ief.	
Diameter of well bore below seal	[Signed]	. Date	, 19	
How was cement grout placed? Pumped via tremie pipe				
riow was cement grout placed:	(bonded) Water Well Constructor Certification: Bon 28042900 Issued by: Western Surety Co			
	(number) (Surety Company Name)			
Was pump installed? No	On behalf of Bill Miller Well Drilling (type or print name of Water Well Constructor)			
Was a drive shoe used? Yes No Plugs Size: location ft.	This well was drilled under my jurisdiction a			
Did any strata contain unusable water?	best of my knowledge and belief:			
Method of sealing strata off	(Signed) Gredery Com Sell	U	. #600	
Was well gravel packed? Yes No Size of gravel:	(Water Well Construc	tor)		
Gravel placed from ft. to ft.	(Dated)			