NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line) 4525

State Well No. State Permit No. .

(1) OWNER:	(10) LOCATION OF WELL:			
Name Siskiyou National Forest	County Coos Driller's well number			
Address P.O. Box 440	1/ MW 1/ G - 1/2 - 20-			
Grands Pass, Oregon 97526	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	Daphne Grove Campground	ion corn	er	<u>- (m.3.5</u> 8
New Well Deepening □ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	7011	-	**
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		16	f t
Recovery ☐ Driven ☐ ☐ Domestic ☐ Industrial ☐ Municipal ☐				0-31-80
Dug 🗌 Bored 🔲 Irrigation 🗌 Test Well 🗌 Other	Artesian pressure lbs. per squar			<u>0-71-0</u> (
(5) CASING INSTALLED: Threaded Welded Welded 25 of the to 25 of the Gage 250	(12) WELL LOG: Diameter of well below casing			
" Diam. from ft. to ft. Gage	Depth drilled 29 ft. Depth of completed well 281_511 ft.			
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratum	and struc	cture of	materials;
(6) PERFORATIONS: Perforated? \[\sum_{No.} \]	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used	MATERIAL	From	то	SWL
Size of perforations in, by in.	The same of the sa			
perforations fromft. toft.	Sandy loam brown	0	2	
perforations from ft. to ft.	Sand & fine gravel brown	2	10	
perforations from	Boulders	10	25	
(7) SCREENS: Well screen installed? Yes I No	Sand & gravel medium brown Claystone blue	25	$28\frac{1}{2}$	
Manufacturer's Name Houston	CT2VS CONG DIUG	28를	_ 29	<u>-</u>
Type Stainless steel Model No. telescope				
Diam. 6 Slot size 015 Set from 23'-9" ft. to 28'-5" ft. Diam. Slot size 5t from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	RECEIVED			
a pump test made? Yes No If yes, by whom?	NOV 4 1980			
Yield: gal./min. with ft. drawdown after hrs.				
" " " " " " " " " " " " " " " " " " "	WATER RESOURCES DEPT			
" " " " " " " " " " " " " " " " " " "	SALEM, OREGON			
er test 18 gal./min. with 2 ft. drawdown after 1 hrs.				
Artesian flow g.p.m.	3			
Temperature of water 52 Depth artesian flow encountered ft.	Work started 10-27 19 80 Complete	——		
(9) CONSTRUCTION:	Work started 10-27 19 80 Completed Date well drilling machine moved off of well	<u>d</u>		19 80
Comanit			10-30) ¹⁹ 80
Well sealed from land surface to 20	Drilling Machine Operator's Certification:			
Diameter of well bore to bottom of seal 10 in.	This well was constructed under my direct supervision. Materials used and information reported above are true to my			
Diameter of well bore below seal6in.	best knowledge and belief			
Number of sacks of cement used in well seal 22 sacks	(Drilling Machine Operator)			
How was cement grout placed? Pumped via tremic pipe	Drilling Machine Operator's License No. 469			
And the state of t	Water Well Contractor's Certification:			
Was a drive shoe used? Was Cl No Division	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Was a drive shoe used? Yes \(\Bar{\text{No}}\) No Plugs Size: location	Name Bill Miller Well Drilling			
Type of water?	(Person, firm or corporation)	(Typ	e or print	•
Method of sealing strata off	Address Route 1, Box 1115 Band	$\frac{\text{on}}{2}$	97	411
	[Signed] [Malley []]	lll	4	
Gravel placed fromft. toft.	(Water Well Contrac			^-
16. W	Contractor's License No. 600 Date		.0-31	₁₉ 80