STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by OPS 537.755 & OAR 600.205.0210)

COOS 56184

WELL I.D. LABEL# L 117983

START CARD # 1027879

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	8/31/2	015	ORIGI	NAL LOG	#			
1) LAND OWNER Owner Well I.D. 1558 HL8H								
First Name MICHAEL Last Name KIESER(BANDON BIOTA	(A)	(9) LOCATI	ON OF W	ELL (legs	al descri	ntion)		
Company BANDON DUNES		(9) LOCATION OF WELL (legal description) County COOS Twp 29.00 S N/S Range 15.00 W E/W WM					3373.4	
Address 57744 ROUND LAKE DRIVE								VV IVI
City BANDON State OR Zip 97411`		Sec <u>25 S</u>						
2) TYPE OF WORK New Well Deepening Conversi	sion	Γax Map Number Lat°	·			Lot	DMC	DD
Alteration (complete 2a & 10) Abandonment(comp	olete 5a)	Lat		or			DMS or l	
2a) PRE-ALTERATION	[1	Long		or			_ DMS or l	DD
Dia + From To Gauge Stl Plstc Wld Thrd	Ι.		et address of		Nearest a	ddress		
Casing:		NO # HOFFER	LN. BANDO	N				
Material From To Amt sacks/lbs								
Seal:	[(10) CT A TIC	WATED	I DVDI				
3) DRILL METHOD	- 19	(10) STATIC	WAIEK)ote CI	ДД (mgi) ⊥	CW/I (ft)	
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing Well / Pre-Alteration Date SWL(psi) +			VL(psi) +	SWL(ft)	\neg	
Reverse Rotary Other		Completed V		8/22/20)15	—— =	48.5	-
4) PROPOSED USE Domestic X Irrigation Community				g Artesian?		y Hole?	1 40.5	
	L			_	_	• Ш	66.00	
Industrial/Commericial Livestock Dewatering	V	VATER BEARIN	IG ZONES	-		s first found		<u> </u>
Thermal Injection Other		SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft))
5) BORE HOLE CONSTRUCTION Special Standard (Atta	ach copy)	8/19/2015	19	65	15		19	\neg
Depth of Completed Well 207.00 ft.		8/19/2015	66	81	25	1	19	7
BORE HOLE SEAL	sacks/	8/19/2015	109	113	5		19	_
Dia From To Material From To Amt		8/19/2015	118	133	50		19	=
10 0 155 Bentonite 0 43 30		8/21/2015	194	195	1.1		48.6	\dashv
6 155 211 Calculated 16.4		6/21/2013	134	193	1.1		46.0	
Cement with 5% Benton 43 155 27	S	11) WELL L	OG					—
Calculated 25.62		II) WEEL L	od	Ground Elev	ation <u>100</u>).00		
How was seal placed: Method A B XC D	1-		Material			From	То	_
X Other POUR FROM SURFACE		Sand f -m tan				0	6	_
Backfill placed from ft. to ft. Material		Wood				6	7	_
Filter pack from ft. to ft. Material Size	11-	Sand f-m tan				7	51	4
Explosives used: Yes Type Amount	11	Peat				51	53	-
5a) ABANDONMENT USING UNHYDRATED BENTONITE		Cemented sand b				53	55	-
	10	Sandy clay brown Sand f tan	1			55 60	60	\dashv
Proposed Amount Actual Amount		Sandy clay white				65	66	\dashv
6) CASING/LINER	lt.	Gravel f-m w/sar				66	67	-
Casing Liner Dia + From To Gauge Stl Plstc Wlo	a inra	Gravel f w/sand f				67	75	\dashv
● 6 X 2 154 .250 ● X		Gravel f-m w/sand f-m gray			75	80	_	
		Gravel f-c w/sand c-f gray			80	81		
	4 III II	Sandy clay gray			81	109		
	4 <u> </u>	Gravel f-c w/ san	dy clay gray	50%		109	113	
	1 -	Sandy clay w/gravel f-m gray			113	116		
Shoe Inside Outside Other Location of shoe(s) 154		Sandy clay gray				116	118	_
Temp casing X Yes Dia 10 From 0 To 43		Gravel c-f w/sand				118	121	4
7) PERFORATIONS/SCREENS		Gravel c-f w/sand		50%		121	125	4
Perforations Method		Sandy clay w/gra	vel f-m gray			125	133	
Screens Type Material	- lı	Date Started8/	18/2015	C	ompleted	d 8/22/2015		
	Tele/				1			_
Screen Liner Dia From To width length slots pi	ipe size	(unbonded) Wa						
		I certify that the						
		abandonment of construction stan						
		the best of my kr			u informat	ion reported	above are tru	ie to
		•	U	ocher.	D-4-			
		License Number	1759		Date 8	3/31/2015		_
8) WELL TESTS: Minimum testing time is 1 hour		Signed CHRIS	CTODUED I	VEDCEV (E	filed)			
Pump Bailer • Air Flowing Artes	sian	CHRI	STOPHER L	KEKSET (E	-mea)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		(bonded) Water	Well Constr	uctor Certif	ication			
1.1 200 1		I accept responsi	bility for the	construction	n, deepenin	ng, alteration	n, or abandor	ımen
		work performed	on this well d	uring the con	struction of	dates reported	d above. All	work
		performed durin						
Temperature 54 °F Lab analysis Yes By		construction stan	dards. This r	eport is true t	o the best	of my knowl	edge and bel	ief.
	ppb	License Number	1493		Date 8/3	1/2015		
	Inits		- 1/2		0/3	1,2013		_
		Signed JAME	S A MACK S	SR (E-filed)				
		Contact Info (opt	ional) Bando	on Well & Pu	mp Co. (5	41) 347-7867	7	
		. 1	-					

COOS 56184

WELL I.I STA ORIGI

D. LABEL# L	117983	
RT CARD#	1027879	
INAL LOG#		

continuation page	8/31/2015	ORIGINAL LOG #	1077	
(2a) PRE-ALTERATION	Water Quality (Concerns		
Dia + From To Gauge Stl Plstc Wld Thrd	From To	Description	Amount	Units
Material From To Amt sacks/lbs				
	$ \overline{(10)}$ STATIC V	ATER LEVEL		
(5) BORE HOLE CONSTRUCTION			SWL(psi) +	- SWL(ft)
BORE HOLE SEAL SEAL Dia From To Material From To Amt	acks/			
Material Profit 10 Allit	IDS		\vdash	
Calculated				
Calculated			 	
Calculated				
Calculated				
FILTER PACK From To Material Size	(11) WELL LO	G		
	N	Iaterial	From	То
	Sandstone gray		133	134
	Clay gray green Silty clay brown gr	en en	134	135 139
(6) CASING/LINER	Siltstone brown gra	y	139	141
Casing Liner Dia + From To Gauge Stl Plstc Wld Tl	Siltstone gray green	1	141	160
Casing Line: Dia 7 Trois To Gauge St. 113te Wit 13	Siltstone gray s Siltstone green gray	7	160 164	164 188
	Sandstone gray h		188	190
	Siltstone green gray	7	190	211
	_			
				
7) PERFORATIONS/SCREENS				
	Γele/		+	
0	pe size			
	Comments/Rei	narks		
		-		
(8) WELL TESTS: Minimum testing time is 1 hour				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)				