STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210) COOS 57572

8/7/2019

WELL I.D. LABEL# L 12
START CARD # 10
ORIGINAL LOG # cc

		1 age 1 01 2
L	129835	
	1044032	
	COOS	57374

(1) LAND OWNER Owner Well I.D. 1810			
First Name MICHAEL Last Name KEISER	(9) LOCATION OF WELL (legal description)		
Company BALLY BANDON LLC			
Address 875 N MICHIGAN AVE #3920	County Coos Twp 27.00 S N/S Range 14.00		
City CHICAGO State IL Zip 60611	Sec <u>20 NW</u> 1/4 of the <u>NW</u> 1/4 Tax Lot <u>10</u>	0	
(2) TYPE OF WORK   New Well   Deepening   Conversion	Tax Map Number Lot  Lat'" or 43.22084115  Long or -124.39157665		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat or 43.22084115	_ DMS or DD	
(2a) PRE-ALTERATION	Long or124.39157665	_ DMS or DD	
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well     Nearest address		
Casing: 6 X 1 19 .250 •	NO# WHISKEY RUN RD, BANDON		
Material From To Amt sacks/lbs			
Seal: Bentonite 0 18 9 Sacks			
(3) DRILL METHOD	(10) STATIC WATER LEVEL		
Rotary Air X Rotary Mud Cable Auger Cable Mud	Date SWL(psi) +	SWL(ft)	
Reverse Rotary Other	Existing Well / Pre-Alteration		
	Completed Well 7/31/2019	42	
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?		
Industrial/ Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found	42.00	
Thermal Injection Other	SWL Date From To Est Flow SWL(psi)		
	4.7	. SWE(II)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	7/30/2019 42 74.5 62	42	
Depth of Completed Well 79.00 ft.			
BORE HOLE SEAL sacks/			
Dia From To Material From To Amt 1bs			
14 0 4 Bentonite 0 40 24 S			
10 4 79 Calculated 18.8			
	(11) WELL LOG Ground Flavation 140 00		
Calculated	Ground Elevation 149.00		
How was seal placed: Method A B C D E	Material From	То	
X Other POUR FROM SUFRACE	Sandy topsoil 0	1	
Backfill placed from ft. to ft. Material	Cemented sand brown orange 1	3	
Filter pack from 40 ft. to 76 ft. Material SAND Size 8/12	Sand f brown orange 3	6	
	Sand f w/sandy clay tan 6	9	
Explosives used: Yes Type Amount Amount	Sand f-m brown 9	11	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Sand f-m brown orange 11	13	
Proposed Amount Actual Amount	Sandy clay w/sand f-m tan 13	18	
	Sand f-m tan 18	35	
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Sand f-c brown 35	56	
	Sand f-c w/gravel f brown orange 56	63	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Gravel f-m w/sand c-f gray brown 63	74.5	
	Clay w/gravel m-f gray 74.5	77	
● 5 75.25 79 Sdr26	Claystone gray 77	79	
	Original 6" casing was removed & hole 77	79	
	opened to 10" & screen set & developed 77	79	
Shoe Inside Outside Other Location of shoe(s)			
Temp casing Yes Dia From + To			
(7) PERFORATIONS/SCREENS			
Perforations Method			
Screens Type Johnson V-Wire Material Stainless Steel	D. 4. C4. 4. 17/20/2010		
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 7/29/2019 Completed 7/31/2019		
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification		
Screen Casing         5         65.16         70.25         .025         5	I certify that the work I performed on the construction, deepeni	ng. alteration, or	
Screen Casing 5 70.25 75.25 .061 5	abandonment of this well is in compliance with Oregon wa		
	construction standards. Materials used and information reported		
	the best of my knowledge and belief.		
	License Number Date		
(8) WELL TESTS: Minimum testing time is 1 hour	Signed		
Pump Bailer Air Flowing Artesian			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification		
16.6 4.8 63 1	I accept responsibility for the construction, deepening, alteration, or abandonment		
	work performed on this well during the construction dates reported		
	performed during this time is in compliance with Oregon wa		
Temperature 53 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge.		
· — — — — ·	_	-	
Water quality concerns? Yes (describe below) TDS amount 92 ppm Prom To Description Amount Units	License Number 1493 Date 8/7/2019		
Description Throads Office	Signed JAMES MACK SR (E-filed)		
	THE MITCH SE (E med)	7867	
	Contact Info (optional) Bandon Well & Pump Co (541) 347-	/00/	
	<u> </u>		

## COOS 57572

## 8/7/2019

## Map of Hole

## STATE OF OREGON WELL LOCATION MAP

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



This map is supplemental to the WATER SUPPLY WELL REPORT

LOCATION OF WELL

Latitude: 43.22084115 Datum: WGS84

Longitude: -124.39157665

Township/Range/Section/Quarter-Quarter Section:

WM 27S 14W 20 NWNW

Address of Well:

NO# WHISKEY RUN RD, BANDON

Well Label: 129835

Printed: August 7, 2019

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

