

STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765 & OAR 690-205-0210)

Revised 8/20/21 JMD MACK SR COOS 57866 4/8/2021

WELL I.D. LABEL# L 140107 START CARD # 1050874 ORIGINAL LOG #

(1) LAND OWNER Owner Well I.D. 1938 First Name MICHAEL Last Name KEISER Company BANDON DUNES Address 57744 ROUND LAKE DRIVE, BANDON City BANDON State OR Zip 97411

(2) TYPE OF WORK [X] New Well [] Deepening [] Conversion [] Alteration (complete 2a & 10) [] Abandonment (complete 5a)

(2a) PRE-ALTERATION Casing: Dia + From To Gauge Stl Plstc Wld Thrd Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD [] Rotary Air [X] Rotary Mud [] Cable [] Auger [] Cable Mud [] Reverse Rotary [] Other

(4) PROPOSED USE [] Domestic [] Irrigation [X] Community [] Industrial/ Commercial [] Livestock [] Dewatering [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION Depth of Completed Well 254.00 ft. BORE HOLE Dia From To Material From To Amt sacks/lbs

How was seal placed: Method [] A [] B [X] C [] D [] E [X] Other POUR FROM SURFACE Backfill placed from 98 ft. to 254 ft. Material SAND Filter pack from 98 ft. to 254 ft. Material SAND Size 6/9

(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Actual Amount

(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd Shoe [] Inside [] Outside [] Other Location of shoe(s) Temp casing [] Yes Dia From + To

(7) PERFORATIONS/SCREENS Screens Type Johnson V-Wire Material Stainless Steel Perf/ Casing/ Screen Screen Liner Dia From To Scrn/slot width Slot length # of slots Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour [X] Pump [] Bailer [] Air [] Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Temperature 52 °F Lab analysis [X] Yes By BW&P Water quality concerns? [] Yes (describe below) TDS amount 128 ppm From To Description Amount Units

(9) LOCATION OF WELL (legal description) County coos Twp 28.00 S N/S Range 14.00 W E/W WM Sec 5 NW 1/4 of the NW 1/4 Tax Lot 500 Tax Map Number Lot Lat Long Street address of well Nearest address 57744 ROUND LAKE DRIVE, BANDON

(10) STATIC WATER LEVEL Existing Well / Pre-Alteration Date SWL(psi) + SWL(ft) Completed Well 4/1/2021 66 Flowing Artesian? [] Dry Hole? []

WATER BEARING ZONES Depth water was first found 25.00 SWL Date From To Est Flow SWL(psi) + SWL(ft)

(11) WELL LOG Ground Elevation 80.00 Material From To Sand w/peat 0 5 Sand f-m brown 5 23 Peat w/wood & sand f-m brown 23 28 Sand f-c brown 28 78 Sandy peat w/wood 78 87 Clay w/gravel f-m green gray 87 92 Gravel f-m w/sandy clay green gray 92 105 Gravel f-c w/sand c-f & clay brown 105 107 Gravel f-c w/sand c-f gray blue 107 118 Clay green gray w/gravel f-m 118 120 Silty clay green gray 120 141 Sandy clay tan brown 141 145 Gravel f-m w/Sand c-f gray brown 145 158 Silty clay green gray 158 173 Silty clay gray w/wood 173 202 Gravel f-m w/sand c-f gray 202 214 Gravel f-m w/sandy clay gray 214 218 Gravel f-c w/sand f-c gray & shell 218 249 Gravel f-c w/sandy clay gray 249 254

Date Started 2/23/2021 Completed 4/1/2021

(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. License Number Date Signed

(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. License Number 1493 Date 4/8/2021 Signed JAMES MACK SR (E-filed) Contact Info (optional) Bandon Well & Pump Co. (541) 347-7867

4/8/2021

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material From To Amt sacks/lbs

Material	From	To	Amt	sacks/lbs

Water Quality Concerns

From	To	Description	Amount	Units

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL				sacks/
Dia	From	To	Material	From	To	Amt	lbs
						Calculated	
						Calculated	
						Calculated	
						Calculated	

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scm/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

(11) WELL LOG

Material	From	To

RECEIVED AUGUST 20, 2021 OWRD

Comments/Remarks

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

COOS 57866

4/8/2021

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301
(503)988-0900



LOCATION OF WELL

Latitude: 43.18032005 Datum: WGS84

Longitude: -124.39130539

Township/Range/Section/Quarter-Quarter Section:

WM28.00S14.00W5NWNW

Address of Well:

57744 ROUND LAKE DRIVE, BANDON

Well Label: 140107

Printed: April 8, 2021

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

RECEIVED
AUGUST 20, 2021
OWRD

