The original and first cope of this report are to be filed with the FEB 15 1972 STATE OF OREGON within 30 days from the OFF A TE ENGINEER (Do not write above this line)

State Well No.	4/16-26
State Permit No.	

SALEM. OF La D.V				
(1) OWNER:	(10) LOCATION OF WELL:			
Name WALT HAYNES	County CROOK Driller's well number			
Address PRINEVILLE, ORE. 97754	14 14 Section 26 T. 145 R. 16 E W.M.			
	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):				
New Well				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found \$\\ \mathre{\pi} \) 52 ft			2 ft.
Rotary Driven Domestic X Industrial Municipal D	Static level 40 ft. below land s	surface.	Date 2	/3/7
Cable Jetted Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar		,	, , _
CASING INSTALLED: Threaded ☐ Welded ★ 6 " Diam. from ★ 18" to 82 ft. Gage ★ 2.50 " Diam. from ft. to ft. Gage ★ 2.50	(12) WELL LOG: Diameter of well below casing			
PERFORATIONS: Perforated? No.	Formation: Describe color, texture, grain size and show thickness and nature of each stratus with at least one entry for each change of forma position of Static Water Level and indicate prim	m and ac tion. Rep	quifer pe otteach	netrated, change in
Type of perforator used ToRch	MATERIAL	From	то	swL
Size of perforations 6 in. by 1/8 in.	Sandy Topical	0	10	
	- The state of the		, ,	
perforations from ft. to ft.	BROWN SANDY GLAY	10	50	40
	BROWN SAND + GLAY W/ Chit	35		
(7) SCREENS: Well screen installed? Yes No Manufacturer's Name	OF GREEN CLAYSTONE.	50	82	40
Type Model No				-
Diam Slot size Set from ft. to ft.				
Diam Slot size Set from ft. to ft.				-
(8) WELL TESTS: Drawdown is amount water level is lowered below static level NEW TON Was a pump test made? Yes D No If yes, by whom? Pump Yield: 50 gal./min. with 4 ft. drawdown after / hrs.				
<u> </u>				
		ļi		
		 		
perature of water 58 Depth artesian flow encountered	Work started 2/2 1972 Complet		/ 3	1972
(9) CONSTRUCTION:	Date well drilling machine moved off of well	" 7 2/	13	192
Well seal—Material used CEMENT GROUT.	Drilling Machine Operator's Certification:			
Well sealed from land surface to	This well was constructed under my Materials used and information reported best knowledge and belief.	above	are true	e to my
Diameter of well bore below seal	[Signed] Interior	Date,	43	<u>تے حروں ہیں</u>
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator) Drilling Machine Operator's License No.			
Number of sacks of bentonite used in well seal None, sacks	Diffing Machine Operator's License No.			
Brand name of bentonite	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisd	iction ar	nd this i	report is
of waterlbs./100 gals.	true to the best of my knowledge and bel			
Was a drive shoe used? ☐ Yes 🗷 No Plugs Size: location ft. Did any strata contain unusable water? ☐ Yes 💢 No	Name CFR. DAILLIY C. C. (Person, firm or corporation)	0.	pe or pri	 nt)
	Address 1275 MADRIES HUX	Pa	NEU	WE
Type of water? depth of strata Wethod of scaling strata off	a la			77759
Method of sealing strata off Was well gravel packed? ▼ Yes □ No Size of gravel: H. MINUS	[Signed] (Water Well Control	ractor		
	Contractor's License No. 5.70. Date		3	, 192.2
Gravel placed fromft. toft.	Contractor's License No. 🗀 📈 Date			, 19