NOTICE TO WATER WELL CONTRACTOR.

The original and first copy of this report are to be filed with the WELL REPORT State Well No. 15/14-26 C filed with the NAY 31 1968 STATE OF OREGO CROUD ENGINEER, SALEM, OREGON 97310 ENGINEER, SALEM, OREGON 97310 ENGINEER type or print; within 30 days from the date TATE ENGINEER write above this line) of well completion. SALEM OREGON STATE ENGINEER, SALEM, OREGON 97310 State Permit No. (11) LOCATION OF WELL: (1) OWNER: Name Powell Butte Community Christian Churchnty Grook Driller's well number NW 14 Section 26 T. Powell Butte, Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [Abandon 🗌 New Well X Deepening [If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): (12) WELL LOG: Diameter of well below casing Driven □ Rotary
Cable X 420 Domestic Industrial | Municipal | ft. Depth of completed well Depth drilled Jetted | Irrigation | Test Well | Other П Bored | Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, "CASING INSTALLED: Threaded □ Welded □ UD" Diam from 2 ft to 22 ft Gage • 280 with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates. MATERIAL " Diam. from _____ ft. to ____ ft. Gage _ 0 Soil Medium conglomerate PERFORATIONS: Perforated? | Yes A No. 20 Clav Type of perforator used Visicular basalt & cinder in. by Size of perforations Visicular basalt w/venti 48 181 perforations from _____ ft. to ___ lating crevices perforations from _____ ft. to ____ 181 288 Sandstone 288 perforations from ft. to Visicular basalt perforations from _____ ft. to _ Sandstone w/some loose perforations from _____ft. to ___ sand at 355-365 328 366 <u>Visicular</u> basalt 366 398 (7) SCREENS: Well screen installed? Yes No 398 417 Sandstone Manufacturer's Name 417 420 <u>Visiculær basalt</u> Model No. Diam. Slot size Set from ft. to Diam. Slot size Set from ft. to ft. (8) WATER LEVEL: Completed well. ft. below land surface Date 5/23/68 Static level esian pressure lbs, per square inch Date Drawdown is amount water level is lowered below static level (9) WELL TESTS: Was a pump test made?

Yes No If yes, by whom? 168 Work started 4/25 19 68 Completed gal./min. with ft. drawdown after hrs. Date well drilling machine moved off of well ** **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. gal./min. with No apparent after 2 Bailer test g.p.m. Date Artesian flow Sent alexams Date 5/24 1968 Was a chemical analysis made?

Yes X No Temperature of water (10) CONSTRUCTION: Drilling Machine Operator's License No. 11 Well seal-Material used Cement grout & Bentonite Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is Diameter of well bore to bottom of seal true to the best of my knowledge and belief. Were any loose strata cemented off? X Yes □ No Depth 255 BERT ABRAMS (Type or print) Was a drive shoe used? ☐ Yes 🛛 No (Person, firm or corporation) Did any strata contain unusable water?

Yes 1 No 2 Box 1114 Madras Oregon depth of strata Type of water? (Water Well Contractor) Method of sealing strata off Size of gravel: Was well gravel packed?

Yes I No Contractor's License No. 70 Date 5/24, 19.68.

Gravel placed from _____ ft. to _____ ft.