WATER WELL REPORTE CEIVED No. 155/16E-5 NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the JUN - 2 1977 State Permit No. G-7741 STATE ENGINEER, SALEM, OREGON 9731 (Please type or print) within 30 days from the date Do not write above this MATER RESOURCES DEPT. of well completion. (10) LOCATION OF WELL: (1) OWNER: Driller's well number 43 County C FOOK Name CHOIS ZOYATY FAIR BOOK 1/4 Section 5 Address Pring Ville Oreg. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning [Abandon | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Driven | Rotary ft. below land surface. Date 5/4/17 Static level 15 Domestic | Industrial | Municipal | Jetted 17 Cable Irrigation | Test Well | Other lbs. per square inch. Date Artesian pressure Bored [CASING INSTALLED: Threaded Welded (12) WELL LOG: Diameter of well below casing ... " Diam. from 11 ft. to 199 ft. Gage Depth drilled 230 ft. Depth of completed well " Diam. from _____ft. to _____ft. Gage Formation: Describe color, texture, grain size and structure of materials; ." Diam. from _____ ft. to ____ ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? | Yes | No. MATERIAL From Type of perforator used Sandy For Soil in. by Size of perforations 2/ Sund and gravel perforations from ft. to _____ 28 ____ perforations from _____ft. to __ Black Sond and gravel 30 perforations from _____ ft. to _____ ft. 95 ₹/2 Blazia Sand and Blux Elay (7) SCREENS: 220 Well screen installed? | Yes No 85 BIRE Gray Glay 223 Manufacturer's Name Grabel Broken Bray Basalt Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?

Yes No If yes, by whom? gal./min. with _ ft. drawdown after hrs. Bailer test /00 gal./min. with 10 ft. drawdown after / Artesian flow 19 97 1977 Completed 5 /2 Work started 4/18 perature of water 🐧 Depth artesian flow encountered ft. Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used CEMZAT This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. Diameter of well bore to bottom of seal ______ in. [Signed] 19 and Market Date 5/6, 1927. Diameter of well bore below seal ______in. Number of sacks of cement used in well seal 8 Sack min Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Was a drive shoe used? Yes No Plugs Size: location ft.

depth of strata

Did any strata contain unusable water?

Yes No

Was well gravel packed?

Yes No Size of gravel:

Gravel placed from _____ ft. to ____ ft.

Type of water?

Method of sealing strata off

Name Malaet Well Orilling (Type or print)

[Signed] Danill Magha

Address PLR BOX 199 prine ville DIED.

Contractor's License No. 584 Date 5/6, 1927