

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

RECEIVED MAY 20 1969

WATER WELL REPORT

STATE OF OREGON

Please type or print (Do not write above this line)

CROO 2417

State Well No. 1517-6

State Permit No.

(1) OWNER:

Name George Gerado Address Mitchell Star Rt, Prineville, Ore

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [x] Irrigation [] Test Well [] Other []

CASING INSTALLED:

8" Diam. from 0 ft. to 218 ft. Gage .250

PERFORATIONS:

Perforated? [x] Yes [] No. Type of perforator used cutting torch Size of perforations 1/16 in. by 12 in. 50 perforations from 208 ft. to 218 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 20 ft. below land surface Date 5/19/69 Artesian pressure none lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [x] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test 50 gal./min. with 10 ft. drawdown after 1 hrs. Artesian flow NO g.p.m. Date Temperature of water 60 Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 30 ft. Diameter of well bore to bottom of seal 11 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County CROO Driller's well number 24 1/4 Section 6 T. 15S R. 17E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8" Depth drilled 235 ft. Depth of completed well 218 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include top soil, sand & gravel, yellow clay, sand & gravel, blue gray silt & soft clay, sand & gravel, soft green rock.

Work started May 7, 1969 Completed May 19 1969 Date well drilling machine moved off of well May 19 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Archie Fox Date May 22, 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 389

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Archie Fox Well Drilling (Person, firm or corporation) (Type or print)

Address 2277 Lincoln Rd. Prineville, Ore

[Signed] Archie Fox (Water Well Contractor)

Contractor's License No. 444 Date May 22, 1969