REUEIVELL.	WELL REPORT  OF OREGON  State Well No. 165/16E-144
SALEM, OREGON 97310 JAN261979 (Pleas	e type or print)
WATER RESOURCES DEP	T. (2597)
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:
Name Chris Davis	County Crook Driller's well number 115
Address PLR BOX 650	SW 14 WE 14 Section 14 T. 16 SR. 16 E W.M.
PRINEVILLE DREGON 97754	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check	Depth at which water was first found 160 ft.
Rotary Driven Domestic M Industrial Municipal Cable Detted D	al 🗆 Static level 125 ft. below land surface. Date  -15-79
Dug 🖂 Bored 🖂 Irrigation 🗶 Test Well 🖂 Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded   Welded W	0
CASING INSTALLED: Threaded Welded W	(12) WELL LOG: Diameter of well below casing 8
"Diam. from	Depth drilled $\mathcal{A}(1)$ it. Depth of completed well $\mathcal{A}(1)$ it.
"Diam. fromft. toft. Gage	Formation: Describe color texture grain size and structure of materials.
	with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated?  Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in, by in.	Sandy Top Soil 0 1
perforations from ft. to	
perforations fromft. to	11-17
perforations from ft. to	Hard Red Basalt 3 160
(7) SCREENS: Well screen installed?   Yes No	Hard Gray Basalt 180 225
Manufacturer's Name	Broken Grow Basalt 235 260
Type Model No	DIDWI TRUE CYANG CAN
Diam. Slot size Set from ft. to	ft.
Diam. Slot size Set from ft. to	_ II.
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes 🕱 No If yes, by whom?	
gal./min. with ft. drawdown after	hrs.
" "	*
" " "	N
Parile 130 gal./min. with (MPft. drawdown after )	hrs.
Artesian flow g.p.m.	1118.
perature of water 46° Depth artesian flow encountered	ft. Work started 1-8 19 79 Completed 1-15 19 79
	Date well drilling machine moved off of well   -  5 19 79
(9) CONSTRUCTION:  Well seal_Material used Cement	
i A	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision.
Well sealed from land surface to	Materials used and information reported above are true to my
Diameter of well bore to bottom of seal in.  Diameter of well bore below seal in.	best knowledge and belief.  [Signed] Danill Mashit Date 1-24, 1979
Number of sacks of cement used in well seals	(Drilling Machine Operator)
How was cement grout placed? Pumped	Drilling Machine Operator's License No
	Water W. M. Charles A. M. C. Aller M.
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used?   Yes No Plugs Size: location	Name AMPHEL WCLL DRIVING
Did any strata contain unusable water?   Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address PUR BOX 198 PRINEVILLE OPE 97754
Method of sealing strata off	[Signed] Danill Maghin
Was well gravel packed? Tyes No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 584 Date 1-24 1979