NOTICE TO WATER WELL CONTRACTOR 1966

The original and first copy of this report are to be I C ENGINEE ATER WELL REPORT filed with the STATE ENGINEER, SALEM, OREGON 17310 STATE OF OREGON within 30 days from the date of well completion.

State Well No. 16/16-3	31	<
------------------------	----	---

, State Permit No.

(1) OWNER:	(11) WELL TESTS: Drawdown is amount we lowered below static leve	ater level is
Name Bureou of Land Management	Was a pump test made? Tyes No If yes, by whom?	
Address Box 550	Yield: gal./min. with ft. drawdown	
Prineville Oregon	" "	"
(2) LOCATION OF WELL:	" " "	"
County Crook Driller's well number 33	Bailer test 20 gal./min. with 16 ft. drawdow	n after / hrs.
NW 4 SE 4 Section 3.3 T. 16 S R. 16 E W.M.	Artesian flow g.p.m. Date	· · · · · · · · · · · · · · · · · · ·
Bearing and distance from section or subdivision corner	Temperature of water 56 Was a chemical analysis ma	ide? Yes No
	(12) WELL LOG: Diameter of well below cash	ng
	Depth drilled 36 ft. Depth of completed well	36 ft.
	Formation: Describe by color, character, size of material of	and structure, and
,	show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each cha	nge of formation.
	MATERIAL	FROM TO
(3) TYPE OF WORK (check):	Top Soil & Boulders	0 5
Well Deepening ☐ Reconditioning ☐ Abandon ☐	Sand	5 11
bandonment, describe material and procedure in Item 12.	Boulders, sand groud	11 36
(4) PROPOSED USE (check): (5) TYPE OF WELL:		
Domestic M Industrial Municipal Rotary Driven		
Irrigation Test Well Other Cable Jetted		
Dug Bored [
(6) CASING INSTALLED: Threaded Welded		
6 "Diam. from 6 ft. to 36 ft. Gage 1250		
"Diam. fromft. toft. Gage	ان	
" Diam. fromft. toft. Gage		
(7) PERFORATIONS: Perforated? Yes \(\subseteq \) No		
Type of perforator used cufting torche		
Size of perforations //6 in. by /6 in.		
perforations from 26 ft. to 34 ft.		
perforations from		
perforations fromft. toft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? ☐ Yes ➤ No		
Manufacturer's Name		
eModel No.		
Stam. Slot size	Work started Sep /2 19 66 Completed Se	D12 1966
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well	12 1966
(9) CONSTRUCTION:	(13) PUMP:	
Well seal-Material used in seal Bentonite	Manufacturer's Name	
Depth of sealft. Was a packer used?		P
Diameter of well bore to bottom of seal		
Were any loose strata cemented off? 🗌 Yes 🥦 No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? 🗌 Yes 🎏 No	This well was drilled under my jurisdiction an	d this report is
Was well gravel packed? [] Yes No Size of gravel:	true to the best of my knowledge and belief.	
Gravel placed from ft. to ft.	NAME Archie tox	***************************************
Did any strata contain unusable water? Tyes No	(Person, firm or comporation) Address 2 7 7 Lincoln	or print)
Type of water? depth of strata	Address	1.4
Method of sealing strata off	Drilling Machine Operator's License No	89
(10) WATER LEVELS:	Issumed Out To For	
Static level /8 ft. below land surface Date Sep/2/66	[Signed] (Water Well Contractor)	**************************************
Artesian pressure lbs. per square inch Date	Contractor's License No. 4.4 Date Sep	14 1966