

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) Do not write above this line

RECEIVED MAY 12 1970 STATE ENGINEER SALEM, OREGON

2680 CR00 4

State Well No. 16/17-20

State Permit No.

(1) OWNER:

Name Lyle Womack Address 2277 1390 Loper Rd, Prineville, Ore

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Cable [x] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

6" Diam. from 0 ft. to 50 ft. Gage .250 Threaded [] Welded [x]

(6) PERFORATIONS:

Perforated? [x] Yes [] No. Type of perforator used cutting torch Size of perforations 1/16 in. by 6 in. 40 perforations from 18 ft. to 50 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 8 ft. below land surface Date April 10 1970 Artesian pressure none lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [x] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test 10 gal./min. with 50 ft. drawdown after 1 hrs. Artesian flow no g.p.m. Date Temperature of water 56 Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 18 ft. Diameter of well bore to bottom of seal 9 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Crook Driller's well number 49 1/4 Section 20 T. 16S R. 17E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6" Depth drilled 100 ft. Depth of completed well 100 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows: top soil (0-6), red clay (6-18), gravel (18-50), green rock (50-70), red clay (70-100).

Work started April 8 1970 Completed April 10 1970

Date well drilling machine moved off of well April 10 1970

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Archie Fox Date May 1 1970 (Drilling Machine Operator)

Drilling Machine Operator's License No. 389

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Archie Fox Well Drilling (Person, firm or corporation) (Type or print)

Address 2277 Lincoln Rd. Prineville, Ore

[Signed] Archie Fox (Water Well Contractor)

Contractor's License No. 444 Date May 1