WATER WELL REPORT STATE OF OREGON



RECEIVED

JUL 27 1981

State Well No.

165/248-30

JUL 2 7 198

WATER RESOURCES DEPT Permit No.SALEM. OREGON

1) OWNER:	(10) LOCATION OF WELL:	
Name Seven Star Ranch	County Crook Driller's well number 1	
Address Paulina Star Route	4 4 Section 30 T. 16S R. 24E	<u>W.M.</u>
Paulina State Ore. 97751	Tax Lot # Lot Blk Subdivision	
2) TYPE OF WORK (check):	Address at well location: none assigned except as note in #1	<u> 30.</u>
New Well □ Deepening □ Reconditioning 🗷 Abandon □		
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found 308	ft.
3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 60 ft. below land surface. Date 6-	<u>-19-8</u> 1
Rotary Air X Driven Domestic Industrial Municipal I	Artesian pressure lbs. per square inch. Date	
Rotary Mud Dug	(12) WELL LOG: Diameter of well below casing811	
	Depth drilled 385 ft. Depth of completed well 370	O ft.
(5) CASING INSTALLED: Steel ⊠ Plastic □ Threaded □ Welded ⊠	Formation: Describe color, texture, grain size and structure of materials; as	nd show
16 "Diam from 0 ft to 184 ft. Gauge .375	thickness and nature of each stratum and aquifer penetrated, with at least or for each change of formation. Report each change in position of Static Water	
"Diam from ft. to ft. Gauge	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL From To	SWL
w w w = ==	Hard Brown Clay 375 385	
	Mard Blown Glay 373 303	
(6) PERFORATIONS: Perforated? ☐ Yes 🙀 No		
Type of perforator used		
Size of perforations in. by in.		
perforations from ft. to ft.		
perforations from	<u> </u>	
perforations from		
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		,
Type		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Wasa pump test made? ₩ Yes No If yes, by whom? A& H Pump Serv	•	
y 220 gal./min. with 60 ft. drawdown after 4 hrs.		
II . II		-
Air test gal./min. with drill stem at ft. hrs.		
Bailer test gal/min. with ft. drawdown after hrs.	3	
Artesian flow g.p.m.		
Therefore a Depth artesian flow encountered ft.	Work started 6-2 19 81 Completed 6-27	₁₉ 81
(9) CONSTRUCTION: Special standards: Yes □ No 🖔	Date well drilling machine moved off of well 6-27	19 81
Well seal—Material used Cement	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct supervision. Materia	ole ucod
Diameter of well bore to bottom of seal20 in.	and information reported above where to my best knowledge and	belief.
Diameter of well bore below seal18	Data 6-27	_
Number of sacks of cement used in well sealsacks_	[Signed] Date Date Date Date Date Date Date Date	
How was cement grout placed? Pressure Grouted	Drilling Machine Operator's License No1461	
	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is true to	
Was pump installed?	the best of my knowledge and belief.	
Was a drive shoe used? ☐ Yes 🗷 No Plugs	Name Orvail Buckner Well Drilling, Inc. (Person, firm or corporation) (Type or pr	rint)
Did any strata contain unusable water? Yes No	Address 1686 N. B. Negus May, Dedmond, Ore. 9	7756
Type of Water? depth of strata		
Method of sealing strata off	[Signed] (Water Well Contractor)	
Was well gravel packed? ☐ Yes M No Size of gravel:	Contractor's License No. 608 Date 7-12	,1981.
Gravel placed from ft. to ft.		