

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

SEP 25 1968

(Please type or print) (Do not write above this line)

CROO 2793

State Well No. 17/17-4

State Permit No.

STATE ENGINEER SALEM OREGON

(1) OWNER:

Name: A. C. Stipe
Address: P.O. Box 577 Prineville Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other

(5) CASING INSTALLED:

6" Diam. from 0 ft. to 19 ft. Gage 1/4
Threaded Welded

(6) PERFORATIONS:

Perforated? Yes No

Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level ft. below land surface Date
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
gal./min. with ft. drawdown after hrs.
AIR Lift
Bailer test 22 gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water 61 Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used BENTONITE & CUTTINGS
Depth of seal 19 ft.
Diameter of well bore to bottom of seal 10 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel: 5
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County CROOK Driller's well number
1/4 1/4 Section 4 T. 17S R. 17E W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6" ft.
Depth drilled 413 ft. Depth of completed well 413 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Brown shattered shale	0	8	—
Brown shale rock	8	34	—
Grey lava (med)	34	43	—
Brown shale	43	67	—
Grey lava med	67	93	—
Brown shale	93	142	133
Blue + white sandstone	142	184	—
Grey lava	184	199	—
Black clay	199	211	—
Purple clay	211	248	—
Light green clay stone	248	296	—
Red clay & rock	296	315	—
Grey sandstone	315	341	—
Grey lava	341	363	—
White Quartz grey	363	381	—
lava	381	397	—
Broken rock (soft) all colors	381	397	—
Grey lava broken	397	413	—

Work started 8/25 1968 Completed 8/29 1968
Date well drilling machine moved off of well 8/30 1968

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Dick Atkins Date 8/30 1968
(Drilling Machine Operator)

Drilling Machine Operator's License No. 249

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
DICK ATKINS WELL DRILLING
NAME P. O. BOX 264 (Type or print)
Address PRINEVILLE, OREGON
[Signed] Dick Atkins (Water Well Contractor)
Contractor's License No. 260 Date 9/2 1968