Caw PLEASE TYPE	or PRINT IN INK. CROO	39)
(1) OWNER:	(10) LOCATION OF WELL:	
Name IM Bar Ranch		
Address PSR Box 2860		
City Post, Ore 97752 State		R. 198 W.M.
	Tax Lot # Lot, Bik  Address at well location:	Şubdivision
(2) TYPE OF WORK (check):	Address at well location.	
New Well M Deepening □ Reconditioning □ Abandon □ If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 18	ft.
	Static level 8 ft. below le	and surface. Date 10-17-83
Rotary Air Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other Description Bored Thermal: Withdrawal Reinjection		er square inch. Date
	(12) WELL LOG: Diameter of well below Depth drilled 270 ft. Depth of	completed well 270 ft.
(5) CASING INSTALLED: Steel Threaded  Welded Welded William from + 2 ft. to 32 ft. Gauge  250	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL	From To SWL
"Diam from ft. to ft. Gauge	Clauf Gravel	a i
(a) DEDTOD ATTOLIC	Yellow Clay	1 21
(6) PERFORATIONS: Perforated? ☐ Yes No Type of perforator used	Grivel	21 28
Size of perforations in. by in.	Night Grey Rock	28 270
perforations from		
perforations from		
perforations fromft. toft.		
(7) SCREENS: Well screen installed?   Yes No		
Manufacturer's Name		
Type		-
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		-
Was a pump test made?   Yes Mo If yes, by whom?		
d: gal/min. with ft. drawdown after hrs.		
√11 / H / H	- APE	
Air test 500 gal./min. with drill stem at ft. hrs.		
Bailer test gal/min. with ft. drawdown after hrs.	·	
Artesian flow g.p.m.		
perature of water 58 Depth artesian flow encountered ft.	Work started 10-3 19 83 Complete	d 10-171983
(9) CONSTRUCTION: Special standards: Yes \( \text{No } \)	Date well drilling machine moved off of well	10~17 19 83
Well seal—Material used Rortland Cement	(unbonded) Water Well Constructor Certifi	cation (if applicable):
Well sealed from land surface to	This well was constructed under my direct s	upervision. Materials used
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief. [Signed] Daniel Maskut Date 10-17 19 83	
Diameter of well bore below seal	[Signed] January J. J. M. K. M.	Date, 19
Number of sacks of cement used in well seal sacks How was cement grout placed?	Bonded Water Well Constructor Certification Bond 2241426 Issued by: WESTERN	
The state of the s		ty Company Name
THE COLD AND THE SECOND PROCESS OF THE SECON	This well was drilled under my jurisdiction and this report is true to	
Was pump installed?	the best of my knowledge and belief.  Name MAPHET WELL MILLING	
Was a drive shoe used?  Yes No Plugs Size: location ft.	(Person, firm or corporation)	(Type or print)
Did any strata contain unusable water?	Address PLR 500 DAVIS RD PRINEVILLE, ORE 97754	
Method of sealing strata off	[Signed] Donald Manager Well Constructor	
Was well gravel packed? ☐ Yes No Size of gravel:		0-17 <sub>19</sub> 83
Gravel placed fromft. toft.	2000	, 10.7.7
•		

WATER WELL REPORT

STATE OF OREGON

State Well No.