STATE OF OREGON WATER SUPPLY WELL REPORTAGE
(as required by ORS 537.765)

50157

RECEIVED

ン 2	145/17E/26AD		
4	NOV - 6 1995 (START CARD) #		
form. WAISH HESSESSESSESSESSESSESSESSESSESSESSESSESS			
	SALEM, OREGON (9) LOCATION OF WELL by legal description:		

(as required by ORS 537.765) Instructions for completing this report are on the last page of this form. WA Instructions for completing this report are on the last page of this form.	I START CARD) #_	77004	
	(9) LOCATION OF WELL by legal description	iption:	
(1) OWNER: Well Number Well Number	County CLOOK Latitude		
Address The OSO E Huy 26	Township 14 N or Range	17 Oor W. WM.	
City Character State OC Zip 97754	Section 26		
(2) TYPE OF WORK	Tax Lot 2600 Lot Block		
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well (or nearest address)		
(3) DRILL METHOD:		·	
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATER LEVEL:	-1.6	
Other	ft. below land surface.	Date 9/6/95	
(4) PROPOSED USE:	Artesian pressure lb. per squar	re inch. Date <u>9/6/95</u>	
Domestic Community Industrial Infrigation	(11) WATER BEARING ZONES:	-//	
Thermal Injection Livestock Other		1	
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found	<i>436</i>	
Special Construction approval Tyes No Depth of Completed Well			
Explosives used Yes No Type Amount	From To	Estimated Flow Rate SWL	
HOLE	235' 250	504 Gpm 41	
Diameter From To Material From To Sacks or pounds			
12" 0 60 CEMENT 0 50 32 SALKS			
X" 50 536			
	(12) WELL LOG:		
How was seal placed: Method A B C D E			
Other CAMENT PUMPED W/TRIMMIK			
Backfill placed from ft. to ft. Material	Material	From To SWL	
Gravel placed fromft. to ft. Size of gravel	BLOWN CLAY	0 8'	
(6) CASING/LINER:	TAN CLAY	8' 42	
Diameter From To Gauge Steel Plastic Welded Threaded	KRAY RASANT	42 210	
Casing: 8" +1 55 250 P	BLIK GNIESS	210 333 +1	
Casing	BEAY BASAST	335 550	
	7		
Liner: 6" 10 650 1/68 PK			
Final location of shoe(s)			
(7) PERFORATIONS/SCREENS:			
Perforations Method FRONCY			
Screens Type Material			
Slot Tele/pipe			
From To size Number Diameter size Casing Line			
		<u> </u>	
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 9/5/95 Comp	oleted 9/6/95	
	(unbonded) Water Well Constructor Certificat	tion:	
Flowing Pump Bailer Air Artesian	I certify that the work I performed on the cons	truction, alteration, or abandonment	
Yield gal/min Drawdown Drill stem at Time	of this well is in compliance with Oregon water s Materials used and information reported above as	supply well construction standards.	
(50 kpm 0 (550 1hr.	and belief.	o the to air bost of my knowledge	
WWC Number			
	Signed	Date	
Temperature of water 52 Depth Artesian Flow Found 235	(bonded) Water Well Constructor Certification	n:	
I accept responsibility for the construction, or abandonment work			
Did any strata contain water not suitable for intended use? Too little Did any strata contain water not suitable for intended use? Too little performed during this time is in compliance with Oregon water supply well			
Salty Muddy Odor Colored Other Construction standards. This report is true to the best of my knowledge and belief.			
WWC Number /3.55			
Depth of strata:	Signed Bull	Date 10/30/95	
	TOOMS CONTRACTOR THE TOOMS	CODY CHETOMER	