Croo 50648

CROO 50648

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)
Instructions for completing this report are on the last page of this form.

(START CARD) # 71864

(1) OWNER: Well Number 231
Name Ron Hudspeth
Address 850 Hudspeth Rd.
City Prineville State Oreg. Zip 97754

(2) TYPE OF WORK
☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:
☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger
☐ Other

(4) PROPOSED USE:
☒ Domestic ☐ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☒ No Depth of Completed Well 230 ft.
Explosives used ☐ Yes ☒ No Type Amount

HOLE Diameter	From	To	SEAL Material	From	To	Sacks or pounds
12	0	180	Cement		180	30
	0	20	Bentonite			15
8	180	230				

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☐ Other Poured in Dry
Backfill placed from ft. to ft. Material
Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	8	+1.5	180	.250	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:					☐	☐	☐	☐
					☐	☐	☐	☐

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:
☐ Perforations Method
☐ Screens Type Material

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
						☐	☐
						☐	☐
						☐	☐
						☐	☐
						☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour
☐ Pump ☒ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
50	50		1 hr.

Temperature of water 53 Depth Artesian Flow Found
Was a water analysis done? ☐ Yes By whom
Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☒ Muddy ☐ Odor ☐ Colored ☐ Other
Depth of strata: 50'

(9) LOCATION OF WELL by legal description:
County Crook Latitude Longitude
Township 14 N or (S) Range 16 (E) or W. WM.
Section 32 SE 1/4 SE 1/4
Tax Lot 500 Lot Block Subdivision
Street Address of Well (or nearest address)

(10) STATIC WATER LEVEL:
80 ft. below land surface. Date 4-2-95
Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES:
Depth at which water was first found 80

From	To	Estimated Flow Rate	SWL
80	138	30	60
205	230	50+	80

(12) WELL LOG:
Ground Elevation

Material	From	To	SWL
Sandy Top Soil	0	1	
Sand & Gravel	1	12	
Tan Clay	12	31	
Brown Sand Stone	31	80	
Black Sand	80	138	
Soft Gray Clay	138	140	
Gray Clay Stone	140	170	
Green Rock	170	180	
Brown Clay Stone	180	205	
Red Rock	205	230	

RECEIVED
AUG 03 1998
WATER RESOURCES DEPT.
SALEM, OREGON

Date started 3-23-95 Completed 4-2-95

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Material(s) used and information reported above are true to the best of my knowledge and belief.
WWC Number
Signed Date

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
WWC Number 584
Signed Darrell Marks Date 4-20-95

OREGON WATER RESOURCES DEPARTMENT
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.oregon.gov/owrd

Application for Well ID Number

RECEIVED
JAN 5 2023
OWRD

Do not complete if the well already has a Well Identification Number.

I. OWNER INFORMATION

Current Owner Name *(please print)*: Turquoise Trust c/o Sarah Jane Hudspeth

Mailing Address: 850 NE Hudspeth

City, State, Zip: Prineville, OR 97754

Mail Well ID to: ☒ SAME AS ABOVE ☐ In Care Of (C/O)

Name & Address: _____

City, State, Zip: _____

II. WELL LOCATION INFORMATION *(Please fill out as completely as possible)*

Township: 14 S (North / South) Range: 16 E (East / West) Section: 32 SE 1/4 of the SE 1/4

Tax Lot (usually last 3-5 numbers of Tax Map #): 6300 County Crook

GPS Coordinates: _____

Street Address of Well, City: 850 NE Hudspeth, Prineville

If the property had a different street address in the past: _____

III. GENERAL WELL INFORMATION *(Please fill out as completely as possible, AND attach copy of Well Report, if available)*

Use of Well (domestic, irrigation, commercial, industrial, monitoring): domestic

Date Well Constructed (or property built): 1995 Total Well Depth: 230' Casing Diameter: 8"

Owner at time the well was constructed (if known): Hudspeth Well Report # (if known): CROO 50648

Other Information: _____

SUBMITTED BY *(please print)*: Karen Koppel, Broker

PHONE: 541-678-2924 **EMAIL &/or FAX:** kkoppel@naicascade.com

To send the completed application, you may MAIL it to: Oregon Water Resources Dept. 725 Summer St NE, Suite A, Salem, Oregon 97301. Or EMAIL the completed PDF form to: Ladeena.K.Ashley@water.oregon.gov, or FAX it to: (503) 986-0902.

For Official Use Only by the Oregon Water Resources Department:

Received Date:	Well Report Number:	Well Identification #:
1-5-23	CROO 50648	L-149849