CROO 51927

L-133241 3/2019

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)
Instructions for completing this report are on the last page of this form.

Croo 51927

WELL I.D. # L-~~20244~~ Lost!
START CARD # 107462

(1) LAND OWNER Well Number 1
Name Georgia Calloway
Address 775 SE Dunham street
City Prineville State OR Zip 97754

(2) TYPE OF WORK
☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:
☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger
☐ Other

(4) PROPOSED USE:
☒ Domestic ☐ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☒ No Depth of Completed Well 35 ft.
Explosives used ☐ Yes ☒ No Type Amount

HOLE Diameter	From	To	SEAL Material	From	To	Sacks or pounds
10in	0	19	Bent	0	19	14 sacks
6in	19	35				

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E
☒ Other Poured Dry
Backfill placed from ft. to ft. Material
Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	6in	+1	35	250	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:					☐	☐	☐	☐
					☐	☐	☐	☐

Drive Shoe used ☐ Inside ☐ Outside ☐ None
Final location of shoe(s)

(7) PERFORATIONS/SCREENS:
☒ Perforations Method Torch
☐ Screens Type Material

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
25	35	1/16	40	6in		☒	☐
						☐	☐
						☐	☐
						☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour
☐ Pump ☒ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
15 gpm	14 Ft		1 hr.

Temperature of water 56 Depth Artesian Flow Found
Was a water analysis done? ☐ Yes By whom
Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other
Depth of strata:

(9) LOCATION OF WELL by legal description:
County Crook Latitude Longitude
Township 15 N or (S) Range 16 (E) or W. WM.
Section 5 NW 1/4 SW 1/4
Tax Lot 601 Lot Block Subdivision
Street Address of Well (or nearest address) 775 SE Dunham St
Prineville OR 97754

(10) STATIC WATER LEVEL:
6 ft. below land surface. Date 7-19-02
Artesian pressure lb. per square inch Date

(11) WATER BEARING ZONES:
Depth at which water was first found

From	To	Estimated Flow Rate	SWL
28	35	15 gpm	6

(12) WELL LOG:
Ground Elevation

Material	From	To	SWL
Top Soil	0	2	
Brown Claystone	2	9	6
Gravel	9	12	"
Brown Claystone	12	28	"
Gravel	28	35	"

RECEIVED
JUN 11 2003
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
JUL 29 2002
WATER RESOURCES DEPT
SALEM, OREGON

Date started 7/19/02 Completed 7/19/02

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
WWC Number
Signed Date

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
WWC Number 1677
Signed David N Davis Date 7-24-02

ORIGINAL – WATER RESOURCES DEPARTMENT FIRST COPY – CONSTRUCTOR SECOND COPY – CUSTOMER

CROO 51927

OREGON WATER RESOURCES DEPARTMENT
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www. oregon.gov/owrd

Application for Well ID Number

RECEIVED
MAR 07 2019
OWRD

Do not complete if the well already has a Well Identification Number.

I. OWNER INFORMATION

Current Owner Name *(please print)*: Jodi Stacy
Mailing Address: 2649 SW Quartz Ave
City, State, Zip: Redmond OR 97756

Mail Well ID to: ☐ SAME AS ABOVE ☒ In Care Of (C/O)
Name & Address: Audrey Cook, Windermere
City, State, Zip: 821 SW 6th St Redmond OR 97756

II. WELL LOCATION INFORMATION *(Please fill out as completely as possible)*

Township: 15 (North / South) Range: 16 (East / West) Section: 5 NW 1/4 of the SW 1/4
Tax Lot (usually last 3-5 numbers of Tax Map #): 3900 County Crook
GPS Coordinates:
Street Address of Well, City: 775 SE Dunham St Prineville OR 97754
If the property had a different street address in the past: ~~formerly tax lot 6101~~

III. GENERAL WELL INFORMATION *(Please fill out as completely as possible, AND attach copy of Well Report, if available)*

Use of Well (domestic, irrigation, commercial, industrial, monitoring): Domestic
Date Well Constructed (or property built): 7-24-02 Total Well Depth: _____ Casing Diameter: _____
Owner at time the well was constructed (if known): _____ Well Report # (if known): CROO 51927
Other Information: See attached

SUBMITTED BY *(please print)*: Audrey Cook, Windermere
PHONE: 541 480 9883 **EMAIL &/or FAX:**

Send application to: Oregon Water Resources Department 725 Summer St NE, Suite A, Salem, Oregon 97301; or fax to (503) 986-0902.
Applications are processed in the order they are received, and Well ID Numbers are mailed within 4-5 business days.

* Replacement tag! L-20241 LOST!

For Official Use Only by the Oregon Water Resources Department:

Received Date:	Well Report Number:	Well Identification #:
3-7-19	CROO 51927	L-133241