CROO 54251

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

6/28/2015

Page 1 of 3 WELL I.D. LABEL# L 115195 START CARD # 1026647 ORIGINAL LOG#

(1) LAND OWNER Owner Well I.D.	*			
First Name RANDY Last Name ARNETT	(9) LOCATION OF WELL (legal description)			
Company	County CROOK Twp 13.00 S N/S Range 17.00 E E/N	w wm		
Address 6456 G ST STE 100 #575	Sec 25 SE 1/4 of the NE 1/4 Tax Lot 300			
City ANCHORAGE State AK Zip 99501 (2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot			
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat " or 44.41477778 DMS or	r DD		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Long " or -120.62622222 DMS o	or DD		
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address			
Casing:	12800 NE MILL CREEK			
Material From To Amt sacks/lbs				
Seal:	(40) CT ATTIC WATER A PAIN			
(3) DRILL METHOD	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft			
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration			
Reverse RotaryOther	Completed Well 6/24/2015 28			
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?			
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 15.00			
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)			
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)				
Depth of Completed Well 196.00 ft.				
BORE HOLE SEAL sacks/	6/19/2015 155 170 30 28			
Dia From To Material From To Amt lbs				
10 0 59 Cement 0 59 32 S		_		
8 59 196 Calculated 15				
Calvilated	(11) WELL LOG Ground Flevation 3541 00			
Calculated	Glodild Elevation 3541.00			
How was seal placed: Method A B XC D E	Material From To GRAVELS RED BROWN CLAY SAND 0 45			
Other ft. to ft. Material	BASALT 45 155			
Filter pack from ft. to ft. Material Size	BASALT QUARTZ CLAY SEAMS 155 170			
	SILTSTONE RED 170 185			
Explosives used: Yes Type Amount	SILSTONE GRAY 185 196			
(5a) ABANDONMENT USING UNHYDRATED BENTONITE				
Proposed Amount Actual Amount				
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	RECEIVED BY OWRD			
	THE SELVED BY CANTID			
© 0 6 X 2 59 .250 © 0 X U				
	JUL 2 0 2015			
	011=11.0=			
Shoe Inside Outside Other Location of shoe(s)	SALEM, OR			
Temp casing X Yes Dia 10 From 1 To 56				
(7) PERFORATIONS/SCREENS				
Perforations Method AIR PERFERATOR				
Screens Type Material	Date Started6/18/2015 Completed 6/24/2015			
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	(unbonded) Water Well Constructor Certification			
Screen Liner Dia From To width length slots pipe size Perf Casing 6 156 176 .125 2 360	I certify that the work I performed on the construction, deepening, alterati	ion, or		
Perf Casing 6 176 196 .125 3 228	abandonment of this well is in compliance with Oregon water supply			
	construction standards. Materials used and information reported above are	true to		
	the best of my knowledge and belief.			
	License Number 758 Date 6/28/2015			
(8) WELL TESTS: Minimum testing time is 1 hour	Signed THOMAS R PECK (E-filed)			
Pump Bailer • Air Flowing Artesian	THOMAS R FECK (E-filled)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification			
30 176 1	I accept responsibility for the construction, deepening, alteration, or abandonment			
	work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well			
OD 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	construction standards. This report is true to the best of my knowledge and by			
Temperature 60 °F Lab analysis Yes By				
Water quality concerns? Yes (describe below) TDS amount 325 ppm From To Description Amount Units	License Number 1720 Date 6/28/2015			
	Signed JACK ABBAS (E-filed)			
	Contact Info (optional)			

WATER SUPPLY WELL REPORT -

CROO 54251

WELL I.D. LABEL#

‡ L	115195	
#	1026647	
#		

continuation page	6/28/2015	START C. ORIGINAL		1026647	
2a) PRE-ALTERATION	ı	Quality Concerns			
Dia + From To Gauge Stl Plstc Wld Thrd	From		uintion.	Δmo	unt Units
	Tioni	To Desc.	ription	Allio	unt Omts
Material From To Amt sacks/lbs					
	$\overline{(10) \text{ ST}}$	ATIC WATER LEVE	L		
5) BORE HOLE CONSTRUCTION	SWL D			ow SWL(psi)	+ SWL(ft)
BORE HOLE SEAL Dia From To Material From T	sacks/				
Dia From To Material From T	Amt lbs				
Calculat	ed				
Calculat	ed ed				
Calcula	ed				
Calcular	ad l				
FILTER PACK From To Material Size	$\overline{(11)}$ WF	ELL LOG			
110m 10 Material Size		Material		From	То
		Tructiui		110	
6) CASING/LINER		DEVICED	\rightarrow		
Casing Liner Dia + From To Gauge Stl Pl	stc Wld Thrd	REVISED			
		4:39 pm, Jul 13,	2015		
		4.55 pm, 5ar 15, 1	2013		
	$\exists \; \vdash \vdash \vdash \vdash \vdash$				
	$\exists \vdash \vdash \vdash \vdash$				
		1			
		•			
7) PERFORATIONS/SCREENS					
	, , , , , , , , , , , , , , , , , , ,				
Perf/ Casing/ Screen Screen Scrn/slot Slot Screen Liner Dia From To width length	# of Tele/ slots pipe size				
Promise Promis	STOTS PIPE SIZE				
	+				_
	+				
	Comm	ents/Remarks			
	· · · · · · · · · · · · · · · · · · ·				
(8) WELL TESTS: Minimum testing time is 1 hour	SHALE	TRAP AT 60 FEET			
_					
Yield gal/min Drawdown Drill stem/Pump depth D	uration (hr)				

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CROO 54251

6/28/2015

Map of Hole

STATE OF OREGON WELL LOCATION MAP

725 Summer St NE, Sale

725 Summer St NE, Salem OR 97301 (503)986-0900

This map is supplemental to the WATER SUPPLY WELL REPORT

LOCATION OF WELL

Latitude: 44.41477778 Datum: WGS84

Longitude: -120.62622222

Township/Range/Section/Quarter-Quarter Section:

WM 13S 17E 25 SENE Address of Well:

12800 NE MILL CREEK

Well Label: 115195

Oregon Water Resources Department

Printed: June 28, 2015

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

