STATE OF OREGON	CROO	54789	WELL:	I.D. LABEI	L# L ₁₃₅₂	18	1 4 5 1 6 1 6
WATER SUPPLY WELL REPORT	CITOO	01705	STA	ART CARD	# 1041	948	
(as required by ORS 537.765 & OAR 690-205-0210)	8/8/2	2019	ORIG	INAL LOG	: #		
(1) LAND OWNER Owner Well I.D.							
First Name Last Name		(9) LOCAT	ION OF W	ELL (leg	al descri	ption)	
Company CITY OF PRINEVILLE C/O TAYLOR NW		County CROOK				_	E E/W WM
Address PO BOX 6714		Sec <u>8</u> S					
City BEND State OR Zip 97708		Tax Map Number	er		-	Lot	
	nversion	Tax Map Numbe	'	" or 44.2870	8000	M-196302	DMS or DD
Alteration (complete 2a & 10) Abandonment(complete 2a & 10)	complete 5a)	Long°_	,	" or -120.843	390000		DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd		Str	eet address of	well	Nearest ac	ddress	_
Casing:		CROOKED RI		_	<u> </u>		
Material From To Amt sacks/lbs							
Seal:		Provide Service of Principles and Pr	00070 191-009 N N N N N N N N N N N N N N N N N N	PETT 10 W 2000 38187			
(3) DRILL METHOD		(10) STATIO	WATER				
Rotary Air Rotary Mud Cable Auger Cable Mud		Date SWL(psi) + SWL(ft)					
Reverse Rotary Other		Completed Completed		8/5/20	10	—— H	6
(4) PROPOSED USE Domestic Irrigation Communit				g Artesian?		y Hole?	0
Industrial/ Commercial Livestock Dewatering		WATER DEAR		_			10.00
Thermal Injection X Other MUNICIPAL		WATER BEARD		•		s first found _	
	<u> </u>	SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard	(Attach copy)	7/26/2019	10	51	50		8
Depth of Completed Well 95.00 ft.		7/29/2019	55	91	100	6	×
BORE HOLE SEAL	sacks/						
Dia From To Material From To 16 0 95 Bentonite Chips 0 5							
	12 S						
	20000 P						
Calculated	1,688	(11) WELL I	LOG	Ground Elev	ation 286	58.00	
How was seal placed: Method A B XC D	E		Material			From	To
XOther POURED DRY		SAND CLAY B	BROWN			0	6
Backfill placed from ft. to ft. Material		GRAVEL CLA				6	10
Filter pack from55 ft. to95 ft. Material SAND Size	10/20	GRAVELS GRA				10	28
Explosives used: Yes Type Amount		SAND SILTY C				28 51	51
(5a) ABANDONMENT USING UNHYDRATED BENTON		CLAY SILT CL SAND FINE GI		JSES GRAV		55	55 91
Proposed Amount Actual Amount	1112	CLAY GRAY	XA VELS ELI	VOLD CICA I		91	95
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc	Wld Thrd						
● 0 8 X 2 60 .250 ● ○ ● 0 8 90 95 .250 ● ○							
Shoe Inside Outside Other Location of shoe(s)							
Temp casing \times Yes Dia $\underline{16}$ From $+$ \times $\underline{1}$ To $\underline{95}$							
(7) PERFORATIONS/SCREENS							
Perforations Method							
Screens Type JOHNSON Material STAINL		Date Started 7	7/26/2019	C	ompleted	8/5/2019	
Perf/ Casing/ Screen Scrn/slot Slot # o	10	(unbonded) Wa	ater Well Co	nstructor Ce	rtification		
Screen Liner Dia From To width length slot Screen Casing 8 60 90 .01	s pipe size						ng, alteration, or
Screen Casing 8 00 90 .01							iter supply well
							above are true to
		the best of my k	nowledge and	d belief.			
		License Numbe	r 758		Date 8	/8/2019	
(8) WELL TESTS: Minimum testing time is 1 hour		G: 1					_
Pump Bailer • Air Flowing	Artesian	Signed THO	MAS PECK	(E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duration		(bonded) Water	r Well Const	ructor Certif	fication		
100 90 3	(III)	` ′				ng. alteration	, or abandonmer
							above. All wor
		performed durin	ng this time	is in compl	iance with	o Oregon wa	iter supply we
Temperature 59 °F Lab analysis Yes By		construction star	ndards. This	report is true	to the best	of my knowle	edge and belief.
	ppm	License Number 1720 Date 8/8/2019					
Water quality concerns? Yes (describe below) TDS amount 302 Description Amount		~.			0,0		
			ABBAS (E-				
	+	Contact Info (op	otional)				

Amended 6/22/2023 Page 1 of 3

Page 1 of 3

CROO 54789

WELL I.D. LABEL# L 135218
START CARD # 1041948

continuation page	8/8/2019	ORIGINAL LOG #	
2a) PRE-ALTERATION	Water Qualit	tv Concerns	
Dia + From To Gauge Stl Plstc Wld Thrd	From To		Amount Units
Material From To Amt sacks/lbs			
5) BORE HOLE CONSTRUCTION	100	C WATER LEVEL	
DODE HOLE CEAL	acks/ SWL Date	From To Est	Flow SWL(psi) + SWL(ft)
D: E T	lbs		
	S		
Calculated 38	<u> </u>		
Calculated			
Calculated			
Calculated			
FILTER PACK From To Material Size	(11) WELL I	LOG	
Troin To Material		Material	From To
6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld T	hrd		
	_		
88-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	-		
			
7) PERFORATIONS/SCREENS			
	Tele/ ipe size		
Selection Enter Data From Fo windin length slots by	ape size		
	Comments/l	Remarks	
		wash outs in concrete seal in	terval many times
(8) WELL TESTS: Minimum testing time is 1 hour		e was used in the seal than c	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) [
] []		
	4 		

CROO 54789

8/8/2019

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL Well Label: 135218

Printed: August 8, 2019

DISCLAIMER: This map is intended to represent the WM 15S 16E 8 SWNW approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

Latitude: 44.28708 Datum: WGS84

Longitude: -120.8439

Township/Range/Section/Quarter-Quarter Section:

Address of Well:

CROOKED RIVER PARK- S MAIN ST

