Amended 6/22/2023 : 9/16/2024

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

CROO 54789

8/8/2019

WIDL 146965
START CARD # 1041948
ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D.
First Name Last Name
Company CITY OF PRINEVILLE C/O TAYLOR NW
Address PO BOX 6714
City BEND State OR Zip 97708

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion ☐ Alteration (complete 2a & 10) ☐ Abandonment(complete 5a)

(2a) PRE-ALTERATION

	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
Casing:									

	Material	From	To	Amt	sacks/lbs
Seal:					

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other

(4) PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Community ☐ Industrial/ Commericial ☐ Livestock ☐ Dewatering ☐ Thermal ☐ Injection ☒ Other MUNICIPAL

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)
Depth of Completed Well 95.00 ft.

BORE HOLE Dia	From	To	SEAL Material	From	To	Amt	sacks/lbs
16	0	95	Bentonite Chi p	0	5	12	S
					Calculated	7	
			Concrete	5	32	20000	P
					Calculated	1,688	

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☒ Other POURED DRY
Backfill placed from ft. to ft. Material
Filter pack from 55 ft. to 95 ft. Material SA ND Size 10/20
Explosives used: ☐ Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
●	○	8	☒	2	60	.250	●	○	☒	☐
●	○	8	☐	90	95	.250	●	○	☒	☐
○	○		☐				○	○	☐	☐
○	○						○	○	☐	☐
○	○						○	○	☐	☐

Shoe ☐ Inside ☐ Outside ☐ Other Location of shoe(s)
Temp casing ☒ Yes Dia 16 From +☒ 1 To 95

(7) PERFORATIONS/SCREENS

Perforations Method
Screens Type JOHNSON Material STAINLESS

Perf/ Screen	Casing/ Screen Liner	Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size
Screen	Casing	8	60	90	.01			

(8) WELL TESTS: Minimum testing time is 1 hour

○ Pump ○ Bailer ◉ Air ○ Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
100		90	3

Temperature 59 °F Lab analysis ☐ Yes By
Water quality concerns? ☐ Yes (describe below) TDS amount 302 ppm

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County CROOK Twp 15.00 S N/S Range 16.00 E E/W WM
Sec 8 SW 1/4 of the NW 1/4 Tax Lot 201
Tax Map Number Lot
Lat ° ' " or 44.28708000 DMS or DD
Long ° ' " or -120.84390000 DMS or DD
○ Street address of well ◉ Nearest address
CROOKED RIVER PARK- S MAIN ST

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Pre-Alteration			☐	
Com pleted Well	8/5/2019		☐	6

Flowing Artesian? ☐ Dry Hole? ☐

WATER BEARING ZONES Depth water was first found 10.00

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
7/26/2019	10	51	50			8
7/29	55	91	100			6

(11) WELL LOG

Ground Elevation 2868.00

Material	From	To
SAND CLAY BROWN	0	6
GRAVEL CLAY BROWN	6	10
GRAVELS GRAY SAND	10	28
SAND SILTY GRAY	28	51
CLAY SILT CLAY	51	55
SAND FINE GRAVELS LENSES GRAY	55	91
CLAY GRAY	91	95

Date Started 7/26/2019 Completed 8/5/2019

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 758 Date 8/8/2019
Signed THOMAS PECK (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1720 Date 8/8/2019
Signed JACK ABBAS (E-filed)
Contact Info (optional)

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

WATER SUPPLY WELL REPORT - continuation page

CROO 54789

8/8/2019

WELL I.D. LABEL# L 146965
START CARD # 1041948
ORIGINAL LOG #

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material	From	To	Amt	sacks/lbs

(5) BORE HOLE CONSTRUCTION

BORE HOLE

Dia	From	To

SEAL

Material	From	To	Amt	sacks/lbs
Cement	32	55	70	S
		Calculated	38	
		Calculated		
		Calculated		
		Calculated		

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)

(11) WELL LOG

Material	From	To

Comments/Remarks

Due to huge wash outs in concrete seal interval many times more concrete was used in the seal than calculated.

STATE OF OREGON
WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department
725 Summer St NE, Salem OR 97301
(503)986-0900

LOCATION OF WELL

Latitude: 44.28708 Datum: WGS84

Longitude: -120.8439

Township/Range/Section/Quarter-Quarter Section:

WM 15S 16E 8 SWNW

Address of Well:

CROOKED RIVER PARK- S MAIN ST

Well Label: L146965

Well Log: CROO 54789

Printed: September 2, 2026

DISCLAIMER: This map is intended to represent the approximate location of the exempt use well provided by the land owner. It is not intended to be construed as survey accurate in any manner.

Generated by OWRD

