STATE OF OREGON	CROO	54789	WELL I.D. LABEI		8	
WATER SUPPLY WELL REPORT	0.10.1-		START CARD	10112	)48	
(as required by ORS 537.765 & OAR 690-205-0210)	8/8/2	2019	ORIGINAL LOG	: #		
1) LAND OWNER Owner Well 1.D						
First Name Last Name		(9) LOCATI	ON OF WELL (legs	al <b>d</b> escrip	ption)	
Company CITY OF PRINEVILLE C/O TAYLOR NW			Twp 15.00 S	_		E E/W WN
Address PO BOX 6714			W 1/4 of the NW			
City BEND State OR Zip 97708						
	onversion	Lat°_	or 44.2870	8000		DMS or DD
Alteration (complete 2a & 10) Abandonmen	t(complete 5a)	Lat Long °	" or -120.843	390000		<ul><li>DMS or DD</li></ul>
a) PRE-ALTERATION Dia	·d	Stre	et address of well			
Casing:	Ĭ l	-	ER PARK- S MAIN ST			
Material From To Amt sacks/lbs	_					
Seal:						
) DRILL METHOD		(10) STATIC	WATER LEVEL			ann (8)
Rotary Air Rotary Mud Cable Auger Cable Mu	ud	Existing Wel	1 / Pre-Alteration	Date SW	VL(psi) +	SWL(ft)
Reverse Rotary Other	-	Com pletel V		10		6
PROPOSED USE Domestic Irrigation Commun	nity	<u> </u>	Flowing Artesian?		Hole?	
Industrial/ Commercial Livestock Dewatering		WATER REARIN				10.00
Thermal Injection X Other MUNICIPAL		WATER BEARIN			first found	
		SWL Date	From To	Est Flow	SWL(ps1)	+ SWL(ft)
BORE HOLE CONSTRUCTION Special Standard	(Attach copy)	7/26/2019	10 51	50		8
Depth of Completed Well 95.00 ft.		7/29	55 91	100		6
BORE HOLE SEAL	sacks/					
	Amt lbs	<u> </u>				
16 0 95 Bentonite Chi p 0 5 Calculated	12 S 1 7	L				
Concrete 5 32	200(00 P					
Calculated	1 1,688	(11) WELL L	OG Ground Elev	ation 286	8.00	
How was seal placed: Method A B XC D	E		Material		From	То
Other POURED DRY		SAND CLAY BI	ROWN		0	6
Backfill placed from ft. to ft. Material		GRAVEL CLAY			6	10
Filter pack from55 ft. to95 ft. Material SA NDSiz	ze 10/20	GRAVELS GRA		-	10	28
Explosives used: Yes Type Amount		SAND SILTY G			28 51	51
a) ABANDONMENT USING UNHYDRATED BENTO			AVELS LENSES GRAY	-	55	91
Proposed Amount Actual Amount	WIIL	CLAY GRAY	AVELS LENSES GIGTI		91	95
CASING/LINER Casing Liner Dia + From To Gauge Stl Pls	te Wld Thrd					
8 90 95 250						
Shoe Inside Outside Other Location of shoe(s)						
Temp casing Yes Dia 16 From + 1 To 9	95					
PERFORATIONS/SCREENS						
Perforations Method						
Screens Type JOHNSON Material STAIN	ILESS	Date Started 7/	26/2019 C	ompleted	8/5/2019	
	of Tele/	(unbonded) We	ton Wall Constructor Co	utification		
	ots pipe size	,	ter Well Constructor Ce work I performed on th		ion deeneni	na alteration o
Screen Casing 8 60 90 .01			this well is in comple			
			dards. Materials used an			
			nowledge and belief.		•	
		License Number	758	Date 8/	/8/2019	
WELL TESTS: Minimum testing time is 1 hour			<del></del>	3,7		
	g Artesian	Signed THON	MAS PECK (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duratio	_	(honded) Water	Well Constructor Certif	ication		
100 Prawdown Drill stem/Pump depth Duratio		, ,	ibility for the construction		o alteration	or abandonma
,,,			on this well during the cor			
			g this time is in compl			
Temperature 59 °F Lab analysis Yes By			dards. This report is true			
	2 ррт	License Number	1720	Date 8/8/2	2019	
Water quality concerns? Yes (describe below) TDS amount 307 From To Description Amou	int Units		1120	0/0/	2017	93
+ + +	+ +	Contact Info (opt	ional)			
ORIGINAL - WATER	T ]	EDADTMENT				
UKIGINAL - WATEK	KESOUKCES DI	LEAK I WEN I				

Amended 6/22/2023 : 9/16/2024

CROO 54789

WELL I.D. LABEL# L 135218
START CARD # 1041948

continuation page	8/8/2019	ORIGINAL LOG #	
2a) PRE-ALTERATION	Water Qualit	tv Concerns	
Dia + From To Gauge Stl Plstc Wld Thrd	From To		Amount Units
Material From To Amt sacks/lbs			
5) BORE HOLE CONSTRUCTION	100	C WATER LEVEL	
DODE HOLE CEAL	acks/ SWL Date	From To Est	Flow SWL(psi) + SWL(ft)
D: E T	lbs		
	S		
Calculated 38	<u> </u>		
Calculated			
Calculated			
Calculated			
FILTER PACK From To Material Size	(11) WELL I	LOG	
Troin To Material		Material	From To
6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld T	hrd		
	_		
88-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	-		
	<b></b>		
7) PERFORATIONS/SCREENS			
	Tele/ ipe size		
Selection Enter Data From Fo windin length slots by	ape size		
	Comments/l	Remarks	
		wash outs in concrete seal in	terval many times
(8) WELL TESTS: Minimum testing time is 1 hour		e was used in the seal than c	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr	) [		
	] []		
	4 <b> </b>		

### **CROO 54789**

#### 8/8/2019

# Map of Hole

#### STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

## Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL Well Label: 135218

Printed: August 8, 2019

DISCLAIMER: This map is intended to represent the WM 15S 16E 8 SWNW approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

Latitude: 44.28708 Datum: WGS84

Longitude: -120.8439

Township/Range/Section/Quarter-Quarter Section:

Address of Well:

CROOKED RIVER PARK- S MAIN ST

