STATE OF OREGON WATER SUPPLY WELL REPORT CROO 55049

Page 1 of 3 WELL I.D. LABEL# L 141795 START CARD# 1051003

(as required by ORS 537.765 & OAR 690-205-0210)	4/14/	2021 ORIGINAL LOG#	
(1) LAND OWNER Owner Well I.D.			<u>"</u>
First Name Last Name	•	(9) LOCATION OF WELL (legal description	on)
Company SHOTGUN RANCH	•	County CROOK Twp 17.00 S N/S Range	
Address 40791 S EAST SHOTGUN ROAD		Sec 5 SW 1/4 of the SW 1/4 Tax	
City POST State OR Zip 97752 (2) TYPE OF WORK New Well Deepening Co		Tax Man Number	
(2) TYPE OF WORK New Well Deepening Co	nversion	Tax Map Premiser	DMS or DD
Alteration (complete 2a & 10) Abandonment((complete 5a)	Tax Map Number Lot Lat'	DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	1	Street address of well Nearest address	ss
Casing:	•	40791 S EAST SHOTGUN ROAD WELL	
Material From To Amt sacks/lbs			
Seal:			
(3) DRILL METHOD		(10) STATIC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mu	d	Date SWL(p	psi) + SWL(ft)
Reverse Rotary Other		Completed Well 3/30/2021	62
(4) PROPOSED USE Domestic X Irrigation Communi	ity	Flowing Artesian? Dry Ho	
Industrial/ Commercial Livestock Dewatering	-	WATER BEARING ZONES Depth water was firs	
Thermal Injection Other		_	
			L(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard	(Attach copy)	3/30/2021 62 590 15	62
Depth of Completed Well 703.00 ft.			
BORE HOLE SEAL Dia From To Material From To	sacks/ Amt lbs		
15 0 58.5 Bentonite Chips 0 58.5	Amt lbs		
10 58.5 703 Calculated			
		(11) WELL LOG Ground Flourier	
Calculated		Ground Elevation	
How was seal placed: Method A B C D	E		rom To
X Other BENTONITE DRY		Brown Clay	0 6
Backfill placed from ft. to ft. Material		Tan Clay Gray Clay Stone Hard like Basalt	6 28 28 350
Filter pack from ft. to ft. Material Size		Gray Green Clay Stone hard like Basalt	350 375
Explosives used: Yes Type Amount		Gray Clay Stone Hard	375 455
(5a) ABANDONMENT USING UNHYDRATED BENTON	NITE	Gray Clay stone with brown&Maroon Rocks	455 590
Proposed Amount Actual Amount		Gray Clay Stone Hard like Basalt	590 703
(6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plst			
● 10 X 1.5 58.5 .250 ● (
0 6 22 702 .188 0	∛¤ ⊢		
	$A \vdash H \vdash H$		
	$\forall \vdash \vdash \vdash$		
Shoe Inside Outside Other Location of shoe(s)			
Temp casing Yes Dia From + To			
(7) PERFORATIONS/SCREENS Perforations Method FACTORY CUT			
Screens Type Material		Data Stantad2/20/2021	20/2021
Perf/ Casing/ Screen Scrn/slot Slot #6	of Tele/	Date Started 3/26/2021 Completed 3/3	50/2021
Screen Liner Dia From To width length slo	ots pipe size	(unbonded) Water Well Constructor Certification	
Perf Liner 6 422 442 .125 3 20	_	I certify that the work I performed on the construction,	
	00	abandonment of this well is in compliance with Or- construction standards. Materials used and information r	
	00	the best of my knowledge and belief.	eported above are true to
	00	License Number 2025 Date 4/14/2	2021
(8) WELL TESTS: Minimum testing time is 1 hour		2025	2021
	Artesian	Signed SHAUN ALEXANDER (E-filed)	
		(bonded) Water Well Constructor Certification	
Yield gal/min Drawdown Drill stem/Pump depth Duration 15 600 1	(111)		Itaration or abandonman
1000 1		I accept responsibility for the construction, deepening, a work performed on this well during the construction dates	
		performed during this time is in compliance with Or	
Temperature 57 °F Lab analysis Yes By		construction standards. This report is true to the best of m	
	ppm	License Number 1970 Date 4/14/20	21
Water quality concerns? Yes (describe below) TDS amount 133 Prom To Description Amount	t Units		
		Signed NEIL FAGEN (E-filed)	
		Contact Info (optional) 541-548-1245	
ODICINAL WATER I	DECOLIDEES D	L EDADTMENT	

WELL I.D. LABEL# L 141795

continuation page	4/14/2021	ORIGINAL LOG#	1051003
2a) PRE-ALTERATION	Water Qualit		
Dia + From To Gauge Stl Plstc Wld Thrd	From To		Amount Units
Material From To Amt sacks/lbs			
	(40) CFL FTC		
5) BORE HOLE CONSTRUCTION	SWL Date	From To Est F	Flow SWL(psi) + SWL(ft)
	sacks/	Tioni to Esti	IOW SWE(psi) SWE(it)
Dia From To Material From To Amt	lbs		
Calculated			
Calculated			
Calculated			
Calculated			
FILTER PACK From To Material Size	(11) WELL I	LOG	
From To Material Size		Material	From To
6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld	Thrd		
7) PERFORATIONS/SCREENS			
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/		
Screen Liner Dia From To width length slots I	pipe size		
	Comments/F	Remarks	
(8) WELL TESTS: Minimum testing time is 1 hour			
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	r)		
Tiesa garriini Diawaowii Dini stenizetiinp deptii Duranon (n	<u>''</u>		
	-		
]		
	-		

CROO 55049

4/14/2021

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 44.11883173 Datum: WGS84

Longitude: -120.36516399

Township/Range/Section/Quarter-Quarter Section:

WM17.00S20.00E5SWSW

Address of Well:

40791 S EAST SHOTGUN ROAD WELL

Well Label: 141795

Printed: April 14, 2021

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

