STATE OF OREGON WATER SUPPLY WELL REPORT CROO 55219

WELL I.D. LABEL# L 41072

START CARD # 1056313

ORIGINAL LOG # CROOK

L	41072	-
	1056313	
	CROOK	51297

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210) 5/1	8/2022 ORIGINAL LOG # CROOK 51297			
(1) LAND OWNER Owner Well I.D.				
First Name CHRIS Last Name GERDES	(9) LOCATION OF WELL (legal description)			
Company PRINEVILLE RESERVOIR STATE PARK	County CROOK Twp 17.00 S N/S Range 17.00 E E/W WI			
Address 1645 NE FORBES RD SUIT 112	Sec 4 SE 1/4 of the NE 1/4 Tax Lot 700			
City BEND State OR Zip 97703				
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat or ' or ' or ' Or DMS or DD Long or ' or ' or DMS or DD			
Alteration (complete 2a & 10) Abandonment(complete 5	a) Long "or -120.69000263 DMS or DD			
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address			
Casing:	19600 SE JUNIPER RD PRINEVILLE OR 97754			
Material From To Amt sacks/lbs				
Seal:	(10) STATIC WATED I EVEL			
(3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)			
	Existing Well / Pre-Alteration 4/19/2022 96			
Reverse Rotary Other	Completed Well 4/20/2022 243			
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?			
Industrial/Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found			
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)			
(5) BORE HOLE CONSTRUCTION Special Standard (Attach co	- py) 4/19/2022 96 300 10 96			
Depth of Completed Well 608.00 ft.	4/19/2022 96 300 10 96 4/20/2022 96 300 10 365			
BORE HOLE SEAL saci				
Dia From To Material From To Amt 1b				
6 0 608				
Calculated				
Calculated	(11) WELL LOG Ground Elevation			
How was seal placed: Method A B C D E	Material From To			
Other	CROO 51297 clean out 0 300			
Backfill placed from ft. to ft. Material	White grey claystone congl 300 335			
Filter pack from ft. to ft. Material Size	Brown basalts 335 342			
Explosives used: Yes Type Amount	White grey & blue claystone congl 342 370			
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Grey claystone 375 540			
Proposed Amount Actual Amount	Brown basalts 540 585			
(6) CASING/LINER	Black basalt 585 608			
Casing Liner Dia + From To Gauge Stl Plstc Wld Thr	d			
	-			
Shoe Inside Outside Other Location of shoe(s)	J.			
Temp casing Yes Dia From + To				
(7) PERFORATIONS/SCREENS Perforations Method				
Screens Type Material	Date Started4/19/2022			
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/				
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification			
	I certify that the work I performed on the construction, deepening, alteration, of abandonment of this well is in compliance with Oregon water supply well			
	construction standards. Materials used and information reported above are true to			
	the best of my knowledge and belief.			
	License Number 2025 Date 4/26/2022			
(8) WELL TESTS: Minimum testing time is 1 hour				
Pump	Signed SHAUN ALEXANDER (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification			
10 590 1	I accept responsibility for the construction, deepening, alteration, or abandonme			
15 104 300 1.5	work performed on this well during the construction dates reported above. All wo			
	performed during this time is in compliance with Oregon water supply we construction standards. This report is true to the best of my knowledge and belief.			
Temperature 64 °F Lab analysis Yes By	<u>-</u>			
Water quality concerns? Yes (describe below) TDS amount 400 ppm From To Description Amount Units	License Number _1970			
	Signed NEIL FAGEN (E-filed)			
	Contact Info (optional) 541-548-1245			
	**			

CROO 55219

WELL I.D. LABEL# L 41072

START CARD # 1056313

ORIGINAL LOG # CROOK 51297

continuation page	5/18/2022	ORIGINAL LOG #		
2a) PRE-ALTERATION	Water Quality		[0125]	
Dia + From To Gauge Stl Plstc Wld Thrd	From To	Description	Amount	Units
Material From To Amt sacks/lbs				
5) BORE HOLE CONSTRUCTION	(10) STATIC	WATER LEVEL		
DODE HOLE CEAL		From To Est Flo	ow SWL(psi) +	SWL(ft)
Dia From To Material From To Amt	acks/ lbs		-	
	 		-	
Calculated				
Calculated			+	
Calculated			-	
Calculated				
FILTER PACK From To Material Size	(11) WELL LO	OG		
From To Material Size		Material	From	То
				-
6) CASING/LINER			+	
Casing Liner Dia + From To Gauge Stl Plstc Wld T	hrd hrd			
casing Ziner Dia + 110in 10 daage Sti 11stt Wat 1				
	_			
7) PERFORATIONS/SCREENS				
2	Tele/			
Screen Liner Dia From To width length slots pi	ipe size			
	Comments/Re			
	<u> </u>			
(8) WELL TESTS: Minimum testing time is 1 hour	No Change To Ci	roo 51297 For Pre-Alteration		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr	Water Seems to b	e the same as Croo 51297		
	1			
] []			
	1 11			

CROO 55219

5/18/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 44.12561328 Datum: WGS84

Longitude: -120.69000263

Township/Range/Section/Quarter-Quarter Section:

WM17.00S17.00E4SENE

Address of Well:

19600 SE JUNIPER RD PRINEVILLE OR 97754

Well Label: 41072

Printed: April 26, 2022

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

