## STATE OF OREGON

DEC 2 7 1984

NOV 2 11984

WATER WELL REPORT (as required by ORS 537.765)

WATER WELL REPORT (as required by ORS 537.765)  WATER PRESOURCE SALEM. OREG	S PEPT WATER RESOURCES DEPT (for official use only)  SALEM. OREGON (for official use only)
(1) OWNER:	(10) LOCATION OF WELL by legal description:
Name U.S.D.A. Forest Service	County Crook NW 4 NW 4 of Section 21 of
Address 319 S.W. Pine	Township 13S Range 20F WM
City Portland 97204 State Oregon	
	Tax Lot Lot Block Subdivision
(2) TYPE OF WORK (check):	MAILING ADDRESS OF WELL (or nearest address)
New Well	Wardon Carlo nz
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL of COMPLETED WELL:
(3) TYPE OF WELL: (4) PROPOSED USE (check):	\^
Rotary Air X Driven    Domestic	10/16/0/
Rotary Mud Dug Irrigation Withdrawal Reinjection	
Other: Piezometric Grounding Test	Artesian pressure lbs. per square inch. Date
(F) CACTAC TATOMAT TERM	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel Threaded Welded Welded	Depth drilled 64 ft. Depth of completed well 64 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness
8 Diam from 2 ft to -18 ft Gauge .250	and nature of each stratum and aquifer penetrated, with at least one entry for each change of
"Diam. fromft. Gauge	formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
	water-nearing strata.
Threaded Welded W	MATERIAL From To SWL
6 Diam. from 2 ft. to -64 ft. Gauge .188	_Overburden
(6) PERFORATIONS: Perforated?	Black Hard Rock 6 39 37
(6) PERFORATIONS: Perforated?	Broken black rock & brown
27 perforations from -49 ft. to -64 ft.	
perforations from the to to the fit.	
perforations from	<u> </u>
perforations from	
(7) SCREENS: Well screen installed?  Yes X No	·
Manufacturer's Name	
Type Model No.	· · · · · · · · · · · · · · · · · · ·
Diam Slot Size Set from ft. to ft.	
Diam Slot Size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
	1 11 11
Was a pump test made? Yes No If yes, by whom?  gal./min. with ft. drawdown after hrs.	
d: gal./min. with ft. drawdown after hrs.	
Air test ] 2 gal./min. with drill stem at 60 ft. ] hrs.	1
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	· · · · · · · · · · · · · · · · · · ·
perature of water Depth artesian flow encountered	
•	Date work started 10-15-84 /completed 10-16-84
(9) CONSTRUCTION: Special standards: Yes □ No ☒ Well seal—Material used COMENT	Date well drilling machine moved off of well 10-16 1984
10	(unbonded) Water Well Constructor Certification (if applicable):
12	This well was constructed under my direct supervision. Materials used and
Diameter of well bore to bottom of seal	information reported above are true to my best knowledge and belief.
O V	[Signed] Jak Land Date 11/16 , 1984
Property and the	
How was cement grout placed?	(bonded) Water Well Constructor Certification:
	Bond 2206234 Issued by: Western Surety (Surety Company Name)
Was pump installed? Yes nand pump Depth 59 ft.	On behalf of Crawford Well Drilling. Inc.
Was a drive shoe used?	(type or print name of Water Well Constructor)
Did any strata contain unusable water?    Yes    No	This well was drilled under my jurisdiction and this report is true to the
Type of Water? depth of strata	best of my knowledge and belief:
Method of sealing strata off	(Signed) Lot & brond
Wasywell gravel packed?    Yes    No    Size of gravel:	(Water Well Constructor)
Gravel placed from ft. to ft.	(Dated)11-10-04