WATER WELL REPORT STATE OF OREGON



RECEIVED

State Well No. AUG 12 1981

WATER RESOURCES DEPTrmit No.

-	_	_			
			SALEM.	OREGON	

(1) OWNER:	(10) LOCATION OF WELL:
Name Tom Strand	County Crook - Driller's well number 107
Address RFD # 1	MW 4 NW 4 Section 8 T. 14S R. 14E W.M.
City Terrebonne - Oregon - State 97760	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check):	Address at well location: Lone Pine Road, Terrebonne, Ores
New Well □ Deepening □ Reconditioning XXXX Abandon □	Appx 7/8 mile West of Lone Pime School
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
	Denth at which water was first found 200
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 200 ft. below land surface. Date 8-30-81
Rotary Air Driven Domestic X. Industrial Municipal Rotary Mud Dug Driven Trigation Test Well Driver D	Artesian pressure none lbs. per square inch. Date
Rotary Mud	
CACING INCHALLED	OOO
Threaded Welded	Depth drilled 290 - ft. Depth of completed well 290 ft. Formation: Describe color, texture, grain size and structure of materials; and show
"Diam. fromft. toft. Gauge	unickness and nature of each stratum and aquifer penetrated with at least one entwo
"Diam fromft. toft. Gauge	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	
	MATERIAL From To SWL
"Diam from ±2ft. to 270ft. Gauge	Clean out caved in silt and gravel.
(6) PERFORATIONS: Perforated? ▼ Yes □ No	
Type of perforator used Machine Sawed	Grout undisturbed. Original well drilled
Size of perforations 3/8 in. by 3 in.	by Wayne T. Buckner, 12" hole with a 6" grout.
periorations from 4.1.4 IL. W. H.Z.Y IL	
perforations from	71 32 1
(7) SCREENS: Well screen installed? Yes XENo	
Manufacturer's Name	
Type Model No.	A second
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered	
below static level	
Was a pump test made? ☐ Yes XXNo If yes, by whom?	
gal/min, with ft. drawdown after hrs.	
, , , , , , , , , , , , , , , , , , ,	
Air test gal/min, with drill stem at ft. hrs. Bailer test 1() gal/min, with 20 ft, drawdown after 1 hrs.	
2 Test at a way what test in s.	
	· · · · · · · · · · · · · · · · · · ·
for the state of t	Work started 7-29-81 19 Completed 7-30-81 19
(9) CONSTRUCTION: Special standards: Yes \(\text{No.} \text{Tilde}_{\text{No.}} \text{Tilde}_{\	Date well drilling machine moved off of well 7-30-81 19
Well seal—Material used	Drilling Machine Operator's Certification:
Well sealed from land surface to Clean out only, Grout ft.	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal undistumbed	and information reported above are true to my best knowledge and belief
Diameter of well bore below sealin.	[Signed] L. Chilling Machine Operator) Date 7-31-849
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No. 415
How was cement grout placed?	
the state of the s	Water Well Contractor's Certification:
Ween number installed XNNXVes m Stihman 1 = 280	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was pump installed? XMXXYES Type Submerip 12 Depth 280 ft. Was a drive shoe used? Yes XXNo Plugs Size; location ft	
Was a drive shoe used? Yes ANO Plugs Size: location ft. Yes XXXNo	Name Bill Williams Well Drilling (Person, firm or corporation) (Type or print)
Type of Water? depth of strata	Address P.O. Box 334, Redmond, Oregon 97756
Method of sealing strata off	[Signed] A C Water Well Contractor)
Vas well gravel packed? ☐ Yes ☐ No Size of gravel:	
ravel placed fromft.	Contractor's License No782 Date July31.,1981, 19
	-