NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the WATER RESOURCES DEPARTMENT, STATE OF		Well No. 33	s 13	w-17a		
WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion. (Do not write above this line)		, State Permit No				
(1) OWNER:	(10) LOCATION OF WELL:					
Name Siskiyou National Forest	County Curry Driller's well number					
Address Powers, Oregon 97466	NW 1/4 NE 1/4 Section 17 T. 33S R. 13W W.M.					
	Bearing and distance from section or subdivision corner					
(2) TYPE OF WORK (check): New Well Deepening Reconditioning Abandon	Butler Bar Campground					
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Comp	leted well.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 45 ft.					
Rotary Driven Cable Jetted Domestic Industrial Municipal	Static level 18 ft. below land surface. Date 9-26-78					
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date					
CASING INSTALLED: Threaded D Welded ⁶ Diam, from 0 ft. to 26 ft. Gage •250		of well below c	•			
"	Depth drilled 97 ft. Depth	of completed we	<u>en 97</u>	/		
	Formation: Describe color, texture, gr and show thickness and nature of ea	rain size and stru ch stratum and	aduifer r	materials;		
PERFORATIONS: Perforated? Yes X No.	with at least one entry for each change position of Static Water Level and ind	of formation. Re	port each	change in		
Type of perforator used	MATERIAL	From	То	SWL		
Size of perforations in. by in.	<u> </u>		<u> </u>	······································		
ft. to ft.	Silt & sand brown Gravel coarse brown	0	2			
	Fine grained conglomera	2 te 14	14	<u> </u>		
perforations from ft. to ft.	rock dark gray-black		97			
(7) SCREENS: Well screen installed? □ Yes X No						
Manufacturer's Name						
Type Model No.						
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	RECE	VED		·		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	OCT 9	1978		· · ·		
Was a pump test made? [] Yes X No If yes, by whom?	WATER RESOL	RCES DEPT	•			
Yield: gal./min. with ft. drawdown after hrs.	SALEM. C	REGON				
			-	· · · ·		
" " " " "						
Bailer test 4 gph setters, withtotalft. drawdown after 17 hrs.				· · ·		
Artesian flow g.p.m.		I				
erature of water 54 Depth artesian flow encountered ft.	·······		26	1978		
(9) CONSTRUCTION:	Date well drilling machine moved off	of well	26	1978		
Well seal-Material used Cement	Drilling Machine Operator's Certi					
Well sealed from land surface to 25.	This well was constructed un Materials used and information n	der my direc eported above	t super are true	vision. e to my		
Diameter of well bore to bottom of seal	best knowledge and belief.	mill		-		
Diameter of well bore below sear In.	[Signed] (Drilling Machine Operation	or)	-28	, 19 <u>78</u> .		
Number of sacks of cement used in well seal <u>6</u> sacks How was cement grout placed? grouted from surface	Drilling Machine Operator's Licer		69			
	Water Well Contractor's Certificat	lon:				
	This well was drilled under m true to the best of my knowledge	y jurisdiction a	ind this i	report is		
V	Name Bill Miller Well Drilling					
Was a drive shoe used? Yes No Plugs	Name Bill Miller Well Dr			(Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? 🗌 Yes 👗 No	Name Bill Miller Well Dr (Person, firm or corporatio	n) (1				
·	Name Bill Miller Well Dr	n) (1	rype or pri			
Did any strata contain unusable water? Yes X No Type of water? depth of strata Method of sealing strata off	Name Bill Miller Well Dr (Person, firm or corporation Address Route 1, Box 1115 [Signed]	Bandon, C				
Did any strata contain unusable water? Yes X No Type of water? depth of strata	Name Bill Miller Well Dr. (Person, firm or corporation Address Route 1, Box 1115 [Signed]	n) (1) <u>regon</u>			