	Dunlicate with the	F OREGON CUER 10018 State Permit No.	71	
	(1) OWNER: STATE ENGINEER	Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom?		
	Address	Yield: gal./min. with ft. drawdown after	hrs.	
	- Anni Adunta	" "	"	
	(9) LOCATION OF WELL	23 33	**	
	(2) LOCATION OF WELL: County Curry Owner's number, if any—	Bailer test 9 gal./min. with bott murawdown after	hrs.	
3W	County CULTY Owner's number, if any— TORW 1/4 SW 1/4 Section 7 T. 35 S'AR. 11 W W.M.	Artesian flow g.p.m. Date		
30.		Temperature of water Was a chemical analysis made? Yes	☐ No	
	15' south of NE corner of below Desc.	(12) WELL LOG: Diameter of well6.**	inches	
	school lot: Beginning 30' N. of SW corr			
	of said Lot 14, Sec. 7, Twp. 35 S.R.11		ure and	
-	W.M., thence E 285.01; thence N. 152.81	Formation: Describe by color, character, size of material and struct show thickness of aquifers and the kind and nature of the material stratum penetrated, with at least one entry for each change of for	in each	
ž	ence W. 285.0'; thence S. 152.84' to	MATERIAL FROM	то	
Ē	place of beginning. 1 acre. (3) TYPE OF WORK (check):			
		Sandy clay	231	
· -	New Well Deepening Reconditioning Abandon II abandonment, describe material and procedure in Item 11.	Sanda grayel 23!	381	
: : .		Blue shale 381	631	
: (PROPOSED USE (check): (5) TYPE OF WELL:	Cavvv & water 631	751	
	Domestic 💢 Industrial 🗌 Municipal 🗎 Rotary 🗍 Driven 🖺	Cavy sand 75'	81 '	
	Irrigation Test Well Other Dug Bored	4		
:	(0) 010770 77077			
	(6) CASING INSTALLED: Threaded Welded 79 to 6 to 79 to 6 to 1 to 79 to 6 to 1 to 79 to 6 to 1			
	· · · · · · · · · · · · · · · · · · ·			
		7.		
	ft. Gageft.			
	(7) PERFORATIONS: Perforated? ☐ Yes ☐ No			
	Type of perforator used cutting torch.			
	SIZE of perforations 2 in. by in.			
	bottom leerforations from 4 rows in length ft.			
r	Epartician langth alternately ft	i i		
	perforations from ft. to ft.			
	perforations from ft. to ft.	4		
	perforations from ft. to ft.			
	(8) SCREENS: Well screen installed Yes No	1		
	Manufacturer's Name			
	Type Model No			
	Diar Slot size Set from ft. to ft.		 .	
7	Slot size Set from ft, to ft,	Work started Mayl2 1958. Completed Mayl9	19 58	
	(9) CONSTRUCTION:	(13) PUMP:		
	Was well gravel packed? ☐ Yes 🗖 No Size of gravel:	Manufacturer's Name		
•	Gravel placed from ft. to ft.	Type: H.P.		
	Was a surface seal provided? [XYes [] No To what depth?	Tipe.	•	
	Material used in seal— cement 8"casing grouting Well Driller's Statement:			
	Did any strata contain unusable water? LYes No Silt This well was drilled under my jurisdiction and this report			
	Type of water? Depth of strata 15:	true to the best of my knowledge and belief.		
	Method of sealing strata off	NAME Howard Maghar Telldrilling		
	(10) WATER LEVELS:	(Person, firm, or corporation) (Type or print)		
:	Static level 7 9 ft. below land surface Date	Address 140 Willone, Dr., Rugene, Oregon.		
Artesian pressure Ibs. per square inch Date Driller's well number				
	Diffier's went number			
:	og Accepted by: Well briller) (Well briller)			
	[Signed and Swood Date May 26, 1958	GQ Marrio	1.5B	
	(Wayman)	License No. Date May 19	N1922	
1.	USE ADDITIONAL S	HEETS IF NECESSARY)	7	