

CURR 660217

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT STATE OF OREGON JUN 20 1967 (Please type or print) G-3788

State Well No. 36/14w-9R State Permit No.

(1) OWNER: STATE ENGINEER SALEM, OREGON Name Nesika Beach Water District Address Gold Beach Oregon

(2) LOCATION OF WELL: County Curry Driller's well number 1/4 Section T. R. W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check): Well [x] Deepening [] Reconditioning [] Abandon [] Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check): Domestic [] Industrial [] Municipal [x] Irrigation [] Test Well [] Other []

(5) TYPE OF WELL: Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(6) CASING INSTALLED: 10" Diam. from 0 ft. to 24 ft. Gage 273

(7) PERFORATIONS: Perforated? [] Yes [x] No Type of perforator used Size of perforations in. by in.

(8) SCREENS: Well screen installed? [x] Yes [] No Manufacturer's Name Johnson Stainless Model No. 8" Slot size 80 Set from 24 ft. to 29 ft.

(9) CONSTRUCTION: Well seal—Material used in seal Cement Depth of seal 18 ft. Diameter of well bore to bottom of seal 16 in.

(10) WATER LEVELS: Static level 9' 6" ft. below land surface Date 4/14/67 Artesian pressure lbs. per square inch Date

(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [] No Yield: 560 gal./min. with 1 ft. drawdown after 24 hrs.

(12) WELL LOG: Diameter of well below casing 8" Depth drilled 43 ft. Depth of completed well 43 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with 3 columns: MATERIAL, FROM, TO. Rows include Fine Sand (0-12), Sand, Heavy with Silt (12-14), Coarse Sand, Gravel (1" dia) (14-24), Gravel, Sand, Cobbles (3" Dia.) (24-40), Gravel - Cobbles (4" Dia.) (40-43).

Work started March 8 1967 Completed March 31, 1967 Date well drilling machine moved off of well March 31, 1967

(13) PUMP: Manufacturer's Name Layne Bowler Type: Submersible H.P. 20

Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME CARTER'S DRILLING & PUMP SERVICE Address 325 S 2nd St. Springfield, Oregon 97477 Drilling Machine Operator's License No. 148 [Signed] Contractor's License No. 126 Date 5/12/67