NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

CURR 275 WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line

OCUATS No.

35 S 13 W 34

State Permit No.

	CUCH		
(1) OWNER: U.S., DEPT OF AGRICULTUDE	(10) LOCATION OF WELL:	<u> </u>	
Name FOREST SERVICE	County CUREY Driller's well no	umber (3) 1.73	ALATA
Address BOX (GT - GOLD) BEACH	NW 14 NW 14 Section 2 T.375		
	Bearing and distance from section or subdivisi		
(2) TYPE OF WORK (check):			
New Well ☐ Reconditioning ☐ Abandon ☐			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	3-1	ft.
Rotary Driven Domestic Industrial Municipal Domestic	Static level 22 ft. below land s	urface. Dat	- 155 -
Dug	Artesian pressure lbs. per squar	e inch. Date	
CASING INSTALLED: Threaded Welded			
CASING INSTALLED: Threaded Welded Welded Welded Communication of the to 5% of the Gage 1250	(12) WELL LOG: Diameter of well b	elow casing	B
"Diam from ft. to ft. Gage	Depth drilled 62 ft. Depth of comple	eted well	62 ft.
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size a		
A DEPARTMENT AND A STATE OF THE	and show thickness and nature of each stratur with at least one entry for each change of format	tion. Report eac	ch change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal water-bed	aring strata.
Type of perforator used	MATERIAL	From To	
Size of perforations in. by in.	GREY SAND EGIZAVEL	0 2	
perforations fromft. toft.	CONGLOWEDATE - BLUECLAY	Z 29	, <u>, , , , , , , , , , , , , , , , , , </u>
perforations from ft. to ft.	CEXIGLOMEPH75	25 57	166
perforations from	HARD BLACK BOCK	2/ 10/2	. 7.
(7) SCREENS: Well screen installed? Yes No	-		
Manufacturer's Name	7 - A		
Type Model No.			
Diam. Slot size			
Diam. Slot size Set from ft. to ft.	DECEIVED		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	NLO La I B Ca La		
Was a pump test made? Yes No If yes, by whom?	DEC2 6 1975		-
77/-14	WATER RESOURCES DEPT.		
rieid: gai./min. with ft. drawdown after hrs.	SALEM, OREGON		
	235		
Bailer test Zko gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m. perature of water 52 Depth artesian flow encounteredft.			(C) =======
iperature of water 3 Depth artesian flow encountered ft.	Work started 2-15- 19 \(\Delta\) Complete		25 19 []
(9) CONSTRUCTION:	Date well drilling machine moved off of well	12-18	19/
Well seal-Material used <u>CEMENT</u>	Drilling Machine Operator's Certification:		
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	direct sup-	ervision. Tue to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.		
Diameter of well bore below seal in.	[Signed] DKE/TH COLEMAN Date (2-23, 19.75)		
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 822		
Number of sacks of bentonite used in well seal			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? Yes 🛘 No Plugs Size: location ft.	true to the best of my knowledge and belief. Name OLEMAN'S WELL WILLING CO.		
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or I	print)
Type of water? depth of strata	Address 2000 VINE - 6, 1	/ £	
Method of sealing strata off	[Signed]	7	
Was well gravel packed? Yes No Size of gravel:	(Water Well Contra		
Gravel placed from ft. to ft.	Contractor's License No. 580 Date 12	-23	