### STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

**CURR 52679** 

1/25/2016

WELL I.D. LABEL# L 28651

START CARD # 1029457

ORIGINAL LOG # CURRY

			Page 1 of 2
L	28651		
	1029457		
	CURRY	51726	

(1) LAND OWNER Owner Well I.D. 1340			
First Name PAUL Last Name WAYNE	(9) LOCATION OF WELL (legal description)		
Company HUMBUG MOUNTAIN STATE PARK/DEPT. OF PARKS & RECREA	County Curry Twp 33.00 S N/S Range 15.00	W F/WWM	
Address PO BOX 1345	Sec         25         SW         1/4 of the         NW         1/4         Tax Lot         2		
City PORT ORFORD State OR Zip 97465	Sec 25 SW 1/4 of the 1/4 1/4 1/4 Lot 2	400	
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot  Lat " or 42.69091131  Long " or -124.43492599	DMS or DD	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat or 42.69091131	DMS or DD	
(2a) PRE-ALTERATION	Long or124.43492599	DMS or DD	
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well • Nearest address		
Casing: $\begin{array}{ c c c c c c c c c c c c c c c c c c c$	HUMBUG MOUNTAIN STATE PARK		
Material From To Amt sacks/lbs			
Seal: Bentonite 0 20 16 Sacks	(40) (70) (71) (71) (71)		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	L CTATE (C)	
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing Well / Pre-Alteration   1/21/2016   Existing Well / Pre-A	+ SWL(ft)	
Reverse Rotary Other		10.6	
(A) PROPOGED HIGH. Dr. of Dr. of Mg.	Completed Well 1/22/2016 Flowing Artesian? Dry Hole?	10.6	
(4) PROPOSED USE Domestic Irrigation X Community	Flowing Artesian? Dry Hole?	]	
Industrial/Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found	1 10.58	
Thermal Injection Other	SWL Date From To Est Flow SWL(psi)	+ SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy			
Depth of Completed Well 52.00 ft.	) 1/21/2016 17.5 49 20	10.58	
, non-rior			
BORE HOLE SEAL sacks/			
Dia From To Material From To Amt lbs	1		
6 0 52 Calculated	4		
Calculated			
Calculated	(11) WELL LOG Ground Flavation 75.00		
	Ground Elevation 75.00		
How was seal placed: Method A B C D E	Material From	To	
Other PREVIOUSLY INSTALL  Backfill placed from ft. to ft. Material	Well originally drilled 11/03/1999 0	52	
	Customer getting negative water test. 0	52	
Filter pack from ft. to ft. Material Size	Pump was removed, casing scraped to 0	52	
Explosives used: Yes Type Amount	remove scale & rust deposits. Well was 0	52	
	surged & jetted w/air & water to remove 0	52	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	fines. Hole was acidized & surged, 0	52	
Proposed Amount Actual Amount	pump was installed & acid circulated 0	52	
(6) CASING/LINER	through pumping system and left idle for 0	52	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	24 hrs. Acid was pumped off next day 0	52	
	and well was chlorinated.	52	
Shoo Incide Outside Other Leastion of shoo(s)			
Shoe Inside Outside Other Location of shoe(s)			
Temp casingYes			
(7) PERFORATIONS/SCREENS			
Perforations Method			
Screens Type Material	Date Started 1/21/2016 Completed _1/22/2016	ó	
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/			
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification		
	I certify that the work I performed on the construction, deeper		
	abandonment of this well is in compliance with Oregon v		
	construction standards. Materials used and information reported	d above are true to	
	the best of my knowledge and belief.		
	License Number Date		
(8) WELL TESTS: Minimum testing time is 1 hour			
	Signed		
Pump Bailer Air Flowing Artesian			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification		
19.5 35 48 1.5	I accept responsibility for the construction, deepening, alteration, or abandonment		
	work performed on this well during the construction dates reported		
	performed during this time is in compliance with Oregon v	11.	
Temperature 52 °F Lab analysis Yes By	construction standards. This report is true to the best of my know	ledge and belief.	
· — — ·	License Number 1493 Date 1/25/2016		
Water quality concerns? Yes (describe below) TDS amount 102 ppm From To Description Amount Units	1723/2010		
	Signed JAMES A MACK SR (E-filed)		
	Contact Info (optional) BANDON WELL & PUMP COMPANY	541-347-7867	

# **CURR 52679**

### 1/25/2016

# Map of Hole

### STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

# Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 28651

Printed: January 25, 2016

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

# LOCATION OF WELL

Latitude: 42.6909113131 Datum: WGS84

Longitude: -124.43492599427

Township/Range/Section/Quarter-Quarter Section:

WM 33S 15W 25 SWNW

Address of Well:

HUMBUG MOUNTAIN STATE PARK

