

RECEIVED

DEC 19 1985 PLEASE TYPE OR PRINT IN INK

Gurr 867

32s/15w-27b

(for official use only)

(1) OWNER: **WATER RESOURCES DEPT**
SALEM, OREGON
 Name Glen Wagner
 Address Box 110 Elk River
 City Port Orford State Ore

(2) TYPE OF WORK (check):
 New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) **PROPOSED USE (check):**
 Rotary Air Driven Domestic Industrial Municipal
 Rotary Mud Dug Irrigation Thermal: Withdrawal Reinjection
 Cable Bored Other: Piezometric Grounding Test

(5) CASING INSTALLED: Steel Plastic
 Threaded Welded
 6" Diam. from #1 ft. to 27 ft. Gauge 250
 " Diam. from ft. to ft. Gauge

LINER INSTALLED: Steel Plastic
 NO Threaded Welded
 " Diam. from ft. to ft. Gauge

(6) PERFORATIONS: Perforated? Yes No
 Size of perforations in. by in.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

(7) SCREENS: Well screen installed? Yes No
 Manufacturer's Name
 Type Model No.
 Diam. Slot Size Set from ft. to ft.
 Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 15 gal./min. with 15 ft. drawdown after 2 hrs.
 Air test gal./min. with drill stem at ft. hrs.
 Bailer test 20 gal./min. with 18 ft. drawdown after 1 hrs.
 Artesian flow g.p.m.
 Temperature of water 52 Depth artesian flow encountered ft.

(9) CONSTRUCTION: Special standards: Yes No
 Well seal—Material used Cement
 Well sealed from land surface to 20 ft.
 Diameter of well bore to bottom of seal 10 in.
 Diameter of well bore below seal 6 in.
 Amount of sealing material 11 sacks pounds
 How was cement grout placed? Pumped via tremie pipe
 Was pump installed? NO Type HP Depth ft.
 Was a drive shoe used? Yes No Plugs Size: location ft.
 Did any strata contain unusable water? Yes No
 Type of Water? depth of strata
 Method of sealing strata off
 Was well gravel packed? Yes No Size of gravel: ft.
 Gravel placed from ft. to ft.

(10) LOCATION OF WELL by legal description:
 County Curry NW 1/4 SW 1/4 of Section 27 of
 Township 32s Range 15w WM.
 300 (Township is North or South) (Range is East or West)
 Tax Lot Lot Block Subdivision
 MAILING ADDRESS OF WELL (or nearest address) SAME

(11) WATER LEVEL of COMPLETED WELL:
 Depth at which water was first found 10 ft.
 Static level 10 ft. below land surface. Date 12-5-85
 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 0
 Depth drilled 40 ft. Depth of completed well 27 ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay soil black	0	1	
Clay brown	1	4	
Clay and gravel brown	4	16	
Gravel brown medium	16	27	
Clay and gravel brown	27	31	
Silty clay blue	31	40	

Date work started 12-3-85 /completed 12-5-85
 Date well drilling machine moved off of well 12-5-85 19

(unbonded) Water Well Constructor Certification (if applicable):
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
 [Signed] _____ Date _____, 19 _____

(bonded) Water Well Constructor Certification:
 Bond 28042900 Issued by: Western Surety
 (number) (Surety Company Name)
 On behalf of Bill Miller Well Drilling
 (type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:
 (Signed) Andrew Miller
 (Water Well Constructor)
 (Dated) 12-17-85