OBSERVATION WELL CURR

NOTICE TO WATER WELL CONTRACTOR	001			
med with the	ELL REPORT	State Well No	11/13	W-9011
	F OREGON pe or print) G-2687		G - 2	493
(1) OWNER: FALTH, GAZGON	(11) WELL TESTS: Drawdown is amount water level is lowered below static level			
Name MINNIE CLENCENIN	Was a pump test made? ☐ Yes No If yes, by whom?			
Address HARBOR ORE	Yield: gal./min.			hrs.
And the second s	" "	, , , , , , , , , , , , , , , , , , ,		99
(2) LOCATION OF WELL:	"			, 27
County CuRAY Driller's well number	1	n. with NO ft. drawde	own after	/ hrs.
14 14 Section 9 T. 41 R. 13 W.M.	Artesian flow g.p.m. Date  Temperature of water 54 Was a chemical analysis made?  Yes No			
Bearing and distance from section or subdivision corner	(10) THINK TO C			
	(12) WELL LOG: D	Diameter of well below o	asing	2
The state of the s		Depth of completed w		ft.
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.			
- Carlos	strutum penetratea, with at lea	ist one entry for each o	hange of	formation.
TYPE OF WORK (check):	MATERIA	420	FROM	TO
Well Deepening Reconditioning Abandon	BLACKTOF	D 5016	0	4
if abandonment, describe material and procedure in Item 12.	ROLLIN PI	4 37		
//\ \TTO \TO \COLUMN \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	BROWN CL	. Α Υ	4	20
	BROWN CLAY C	EM ETED	20	1 47
Cable V Jetted	GRAVEL CO	RSE	70	45
Irrigation Test Well Other Dug Bored				
(6) CASING INSTALLED: Threaded Welded	BROWN SANK	STONE	42	59
10 " Diam. from 0 ft. to 4.5 ft. Gage 2.50		1 44 1861 1 A		_
ft. to ft. Gage		298		***
"Diam. from ft. to ft. Gage	18 1 18 18 18 18 18 18 18 18 18 18 18 18	~~		
(7) PERFORATIONS: Perforated?   ✓ Yes □ No		A CONTRACTOR OF THE PERSON OF		<u> </u>
Type of perforator used 78RCh				<del> </del>
Size of perforations in. by # in.				
perforations from 3 0 ft. to 45 ft.		9.13-14 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		
perforations fromft. toft.				=
perforations fromft. toft.		the second secon		
perforations from ft. to ft.		A-1		
(0) CCDETAIC				
ufacturer's Name				<del>- 1-1-2</del> 12.
Diam. Slot size Set from ft.				- 553
Diam Slot size Set from ft. to ft.		1964 Completed	12	1964
(9) CONSTRUCTION:	Date well drilling machine mov	ed off of well $\frac{7}{3}$	64	19
_	(13) PUMP:			
Well seal—Material used in seal <u>GROUT CENENT</u>	Manufacturer's Name			
Depth of sealft. Was a packer used?	Type:			
Diameter of well bore to bottom of sealin.	Water Well Contractor's Cen		<u> </u>	
Were any loose strata cemented off? ☐ Yes ☒ No Depth Was a drive shoe used? ☒ Yes ☐ No				
Was well gravel packed?  Yes No Size of gravel:	This well was drilled un- true to the best of my know	der my jurisdiction a	nd this r	eport is
Gravel placed fromft. toft.	^		<b></b>	
Did any strata contain unusuable water? 🗌 Yes 🌋 No	NAME BARBINGTON	oration) (Tyr	//// B	16
Type of water? depth of strata	Address 61LD	BEACH.	01E	
Method of sealing strata off		, , , , , , , , , , , , , , , , , , , ,		
(10) WATER LEVELS:	Drilling Machine Operator's		5	
static level 23 ft. below land surface Date 1/2 64	[Signed] Donald &	Bannerigt	Su	*********
artesian pressurelbs. per square inch_Date	Contractor's License No. 2	(Water Well Contractor)	12	11/11

(USE ADDITIONAL SHEETS IF NECESSARY)