

CURR .000787

Corrected 1566

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED STATE ENGINEER SALEM OREGON SEP - 8 1969

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print) (Do not write above this line)

State Well No. 41/20W

State Permit No.

G 5376

Well #5

(1) OWNER:

Name Oregon Propagating Co. Address Highway 101 S Harbor

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 38 ft. Gage 250

(6) PERFORATIONS:

Perforated? [X] Yes [] No. Type of perforator used Roscoe Moss 3/16 slots double weight 12 gauge Size of perforations 5 in. by in.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 23' 6" ft. below land surface Date 8/29/69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [] No If yes, by whom? Bailer test 50 gal./min. with 0 ft. drawdown after 1/4 hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used Puddled Clay Depth of seal 20 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Curry Driller's well number 1/4 Section 16 T. 41 S. R. 13 W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 39 ft. Depth of completed well 38 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Black loam, Brown Clay, Grey Sand, River Gravel, Blue Serpentine Rock.

Work started 8/25 1969 Completed 8/29 1969 Date well drilling machine moved off of well 8/30 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Victor Comstock Date 9/5/1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 387

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Brookings Well Drilling (Person, firm or corporation) (Type or print)

Address Rte. 1, Box 61

[Signed] Victor Comstock (Water Well Contractor)

Contractor's License No. 448 Date 9/5, 1969