The original and first copy of this report are to be filed with the

JUL 28 1970 STATE OF OREGON

818 000813 aa
State Well No. 4///3W 7/64

STATE ENGINEER, SALEM, ORESTASTE ENGINEERse type or print)
within 30 days from the date
of well completion.

SALEM. OREGONOWITE above this line)

ne) State Permit No

\$	1 7 7	
المديد	11 11 / S	

	9001	Den	-	
(1) OWNER:	(11) LOCATION OF WELL:			
Name Oregon Propagating Company	County Curry Driller's well n		. 187	
Address Highway 101 S Harbor, Oregon		S R. 13). VV	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisi	on corner		
New Well Deepening Reconditioning Abandon				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):				
	(12) WELL LOG: Diameter of well			
Rotary	Depth drilled 31 ft. Depth of comp	leted well	<u>30</u>) ft.
CASING INSTALLED: Threaded Welded X 250 ft. to 30 ft. Gage 250	Formation: Describe color, texture, grain size and show thickness and nature of each strat with at least one entry for each change of for in position of Static Water Level as drilling pr	um and aq mation. Re	uifer pe port eac	netrated, h change
"Diam, from ft. to ft. Gage	MATERIAL	From	То	SWL
" Diam. from	Brown Clay	0	6	
	# Sandrock	6	16	IX
PERFORATIONS: Perforated? ☐ Yes ☐ No.	Hard Grey Rock with small	1		
Type of perforator used	amt river gravel	16	18	
Size of perforations in. by in.	Grey river sand and gray	7 0 1		
perforations from ft. to ft.		18	30	19.5
perforations from ft. to ft.	Serpentine rock	30		
perforations from ft. to ft.				
perforations from			·	<u> </u>
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? X Yes No				
Manufacturer's NameROSCOO MOSS				<u> </u>
Type Shutter Screen Model No.				<u> </u>
Diam. 8 Slot size 3/16set from 20 ft. to 30 ft.				
Diam. Slot size Set from ft. to ft.				
(8) WATER LEVEL: Completed well. Static level 19.5 ft. below land surface Date 7/16/70				
esian pressure lbs. per square inch Date				<u></u>
(9) WELL TESTS: Drawdown is amount water level is lowered below static level		-		
Was a pump test made? Yes X No If yes, by whom?	Work started 7/13 1970 Comple	oted 7/	17	1970
Yield: gal./min. with ft. drawdown after hrs.		sted 1/		
" "	Date well drilling machine moved off of well		18	1970
n n n	Drilling Machine Operator's Certification			
Bailer test 40 gal./min. with 14 ft. drawdown after $\frac{1}{4}$ hrs.	This well was constructed under my rials used and information reported ab	direct supe	ervision rue to	my best
Artesian flow g.p.m. Date	knowledge and belief.		GER-MG	
Temperature of water Was a chemical analysis made? ☐ Yes 🔏 No	[Signed] [Lilo] Jonn 1/2 (Drilling Machine Operator)	Dat#/2	6	., 19.70
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	387		
Well seal—Material used Puddled Clay	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and be	lief.		
Was a drive shoe used? X Yes \(\sigma\) No	NAMETOOkings Well Drill (Person, firm or corporation)	ing (Type	or print	.)
Did any strata contain unusable water? Yes No	· ·	(200		•
Type of water? depth of strata	Address Rte. 1, Box 61			
Method of sealing strata off	1 signad 7/ Sha Jone le			<u>-</u>
Was well gravel packed? ☐ Yes 🛣 No Size of gravel:	[Signed] (Water Well Cont.	ractor)	***********	
	Contractor's License No448 Date .	7/26		. 19. 70
Gravel placed fromft. toft.	Contractor a Dicense No Date .			,