

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED STATE OF OREGON 8251860 Harbor Ore. 4/11/69

WATER WELL REPORT

STATE OF OREGON (Please type or print) (Do not write above this line)

CURR000821

State Well No. 41/13W-1600

State Permit No. well #2

(1) OWNER:

Name Oregon Propagating Co. Address Highway 101 S

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 31 ft. Gage 250

PERFORATIONS:

Type of perforator used Acetylene Size of perforations 3/8 in. by 10 in. 54 perforations from 21 ft. to 31 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 15 ft. below land surface Date 8/7/69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [X] No If yes, by whom? 55 gal./min. with 17 ft. drawdown after 1/4 hrs. Baller test 55 gal./min. with 17 ft. drawdown after 1/4 hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal-Material used Puddled clay, cement grout Depth of seal 18 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [] Yes [X] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Curry Driller's well number 1/4 Section 16 T. 41 SR. 13 W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 32 ft. Depth of completed well 32 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include Black loam, Brown clay, sandrock, amount of river gravel and sand, Grey river gravel and sand, Blue Serpentine rock.

Work started 8/4 169 Completed 8/7 169 Date well drilling machine moved off of well 8/10 169

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Victor Boner Date 8/20, 1969. (Drilling Machine Operator)

Drilling Machine Operator's License No 387

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME Brookings Well Drilling (Person, firm or corporation) (Type or print) Address Route 1, Box 61 [Signed] Victor Boner (Water Well Contractor) Contractor's License No. 448 Date 8/20, 1969