The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OR STATE ENGINEER ase type or print)
within 30 days from the date SALEM. OREGON

of well completion. 5376

State Permit No. Well #6

	(11) LOCATION OF WELL:
(1) OWNER:	County Curry Driller's well number
Name Oregon Propagating Company	14 14 Section 16 T.41 S.R. 13 W W.M.
Address Highway 101 S Harbor, Oregon	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	Dearing and dispared to the control of the control
New Welk□ Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing
Rotary Driven Domestic Industrial Municipal	` ' " " "
Cable A Jetted D Tomost Well D Other D	Depth dimed 00 2. Sopra of diagrams
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
CASING INSTALLED: Threaded Welded K	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.
8 " Diam. from 0 ft. to 32 ft. Gage 250	
ft. Gageft. Gage	MATERIAL From To SWL
" Diam, from ft. to ft. Gage	Black Toam 0 3 Brown Clay 3 16 16
PERFORATIONS: Perforated? Yes No.	DI OWIL CARS
Zype of perforator used	Hard Grey Rock with small
	TINO TTAGE CTOIL
Size of perforations in. by in. perforations from	Grey Sand and river Gravel 18 32
perforations fromft. toft.	Serpentine Rock 32
perforations from	291 Dello Ing. 1100 a
perforations from ft. to ft.	
perforations fromft. toft.	
(7) SCREENS: Well screen installed? X□ Yes □ No	
Manufacturer's Name ROSCOO MOSS TypeShutter Screen Model No.	
Diam. 8. Slot size 3/16 Set from 22. ft. to 32. ft.	
Diam. Slot size St. 1001	
(8) WATER LEVEL: Completed well.	
Static level 16 ft. below land surface Date 7/23/70	
tesian pressure lbs. per square inch Date	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes ※☐ No If yes, by whom?	
Was a pump test made: 1 10374 10 11 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Work started 7/20 19 70 Completed 7/24 1970
" " " "	Date well drilling machine moved off of well $7/25$ 1970
	Drilling Machine Operator's Certification:
7	This well was constructed under my direct supervision. Mate-
Bailer test 40 gal./min. with 12 ft. drawdown after 4 hrs.	rials used and information reported above are true to my best knowledge and belief.
Artesian flow g.p.m. Date	7/26 1070
Temperature of water Was a chemical analysis made? Yes X No	[Signed] [
(10) CONSTRUCTION:	Drilling Machine Operator's License No387
Well seal-Material used Puddled Clay	
Depth of seal	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Were any loose strata cemented off? Yes No Depth	
Was a drive shoe used? 🛣 Yes 🔲 No	NAMBrookings Woll Drilling (Type or print)
Did any strata contain unusable water? Yes XNo	Address Rte. 1, B ox 61
Type of water? depth of strata	151
Method of sealing strata off	[Signed] 7/4/17 Day (Southerland)
Was well gravel packed? ☐ YesXX No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 448 Date 7/26 , 1970