NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

RECEITTED OREGON

JUN 2 g (Please type or print)

State Well No.	145/28-21CC

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(1) 550 Well No. 145/08 21CC	•
State Permit No.	_

WITTER RESOURCES DE	PT			
(1) OWNER: SALEM, CREGON	(10) LOCATION OF WELL:			
Name Deschutes Valley Farms	County Deschutes Driller's well nu	mber F(H 620	7
Address Terrebonne, Oregon	SW 14 SW 14 Section 21 T. 1/1 S.	R. 12Ea	ast	W.M.
	Bearing and distance from section or subdivision			
(2) TYPE OF WORK (check):				
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	1.			
If abandonment, describe material and procedure in Item 12.	(11) THE PROPERTY CONTRACTOR	_ 11		
	(11) WATER LEVEL: Completed w			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	117		ft.
Rotary Driven Domestic Industrial Municipal Cable Jetted Domestic Industrial Municipal Cable	Static level 115 ft. below land s	urface. D	ate 6/	14/77
Dug	Artesian pressure Ibs. per squar	e inch. D	ate	
(5) CASING INSTALLED: Threaded Welded				
· · · · · · · · · · · · · · · · · · ·	(12) WELL LOG: Diameter of well below casing 18th			1 44
18 "Diam. from #1 ft. to 19 ft. Gage . 250	Depth drilled 175 ft. Depth of comple	eted well	175	ft.
"Diam. from	Formation: Describe color, texture, grain size a			
"Diam. from ft. to ft. Gage	and show thickness and nature of each stratur with at least one entry for each change of format	a and aqu ion. Repo	lifer per rt each c	ietrated, hange in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin			
Type of perforator used	MATERIAL	From	то	swL
		0	7	
Size of perforations in. by in.	Top Soil	7	1),	
perforations fromft, toft.	Black Lava	7).	29	
· Control of the cont	range Sand Stone	29	125	113
perforations from ft. to ft.	Black Sand Stone Black Sand and 3/4 Minus	125	155	
(7) SCREENS: Well screen installed? Yes X No		ار عبد	- <u></u>/1	
Manufacturer's Name	gravel	155	165	
Type Model No	Black Sand	 		715
Diam. Slot size Set from ft. to ft.	Redm Lava	165	_175	
Diam. Slot size Set from ft. to ft.				
Diana		l	1	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Yes No If yes, by whom?				
gal./min. with ft. drawdown after hrs.				
" - "				
<u>"</u> " " "	A CONTRACTOR OF THE CONTRACTOR			
Bailer test 35 gal./min. with 0 ft. drawdown after 7 hrs.				
Artesian flow g.p.m.				
perature of water 5/1 Depth artesian flow encountered ft.	Work started 6/4 19 77 Complete	ed 6/1/),	19 77
(0) (0) (0)	Date well drilling machine moved off of well	6/7/1/	— -	19 77
(9) CONSTRUCTION:		<u> </u>		
Well seal—Material usedCement_Grout_	Drilling Machine Operator's Certification: This well was constructed under my		Sliner	vision
Well sealed from land surface toft.	Materials used and information reported			
Diameter of well bore to bottom of seal22!! in.	best knowledge and belief.	1.	100	77
Diameter of well bore below seal18ttin.	[Signed] (Drilling Machine Operator)	Date	120	, 19//
Number of sacks of cement used in well seal	Drilling Machine Operator's License No.	551	3	
Number of sacks of bentonite used in well seal sacks	Diffing Machine Operator's Incense No.		·,	
Brand name of bentonite	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisd	iction an	d this r	eport is
of water lbs./100 gals.	true to the best of my knowledge and bel		T	
Was a drive shoe used? 🗌 Yes 🕱 No Plugs Size: location ft.	Name XHH Doelli C			
Did any strata contain unusable water? Yes K No	(Person, firm or corporation)	(Ty)	pe or prir	it)
Type of water? depth of strata	Address 2393 N.E. Well &	eve.	Jude	-mel
Method of sealing strata off	[Signed] Forest Sffell			-
Was well gravel packed? ☐ Yes 🛱 No Size of gravel:	(Water West Cont.	. / -	*************	 وسم
Gravel placed from ft. to ft.	Contractor's License No. 489 Date	6/2	e)	19//
The state of the s	,			,