## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

## WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

Stata	Well No. 155/10E-10ba
State	G- 7209
State	Permit No. 6-7959

(3044)	377	
(1) OWNER:	(10) LOCATION OF WELL:	
Name Lester Curtis	County Deschutes Driller's well numb	per
Address P. O. Box 527 Sisters, Ore.	NE 14 NW 14 Section 10 T. 15S R.	10E <sub>w.m.</sub>
	Bearing and distance from section or subdivision	
(2) TYPE OF WORK (check):	2157 * E. anc 946 * S of NW corr	
New Well ☐ Deepening M Reconditioning ☐ Abandon ☐	section 10	A 7
If abandonment, describe material and procedure in Item 12.		
	(11) WATER LEVEL: Completed well	•
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 23	ft.
Rotary	Static level 23 ft. below land surf	ace. Date 11-1-77
Dug 🔲 Bored 🔲 🔝 Irrigation 🖂 Test Well 🖂 Other 🖂	Artesian pressure lbs. per square in	nch. Date
CASING INSTALLED: Threaded   Welded		0
5 "Diam from 57 ft. to 78 ft. Gage 188	(12) WELL LOG: Diameter of well below	
	Depth drilled 78 ft. Depth of complete	d well 78 ft.
" Diam, from ft. to ft. Gage	Formation: Describe color, texture, grain size and	structure of materials;
	and show thickness and nature of each stratum with at least one entry for each change of formation	
PERFORATIONS: Perforated? X Yes No.	position of Static Water Level and indicate princip	
Type of perforator used torch	MATERIAL	From To SWL
Size of perforations $\frac{1}{4}$ in. by $12$ in.		65 -69
36 perforations from -57 ft. to -78 ft.	coarse sand & gravel and	-07
perforations from ft. to ft.		<b>-</b> 69 <b>-</b> 78
perforations from ft. to ft.	Difference and discount of the second	
(7) SCREENS: Well screen installed?   Yes X No		
Manufacturer's Name		
Type Model No.		
Diam Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is		
Tr		
Was a pump test made?  Yes 1 No If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
" "		
n n n n . n		
Bailer test 10 gal./min. with 3 ft. drawdown after 1 hrs.		
Artesian flow g.p.m.		
perature of water Depth artesian flow encountered ft.	Work started 7-5 1978 Completed	7-5 1978
	Date well drilling machine moved off of well	7-5 19 78
(9) CONSTRUCTION:		
Well seal—Material used	Drilling Machine Operator's Certification:	iroat cunorvicion
Well sealed from land surface to ft.	This well was constructed under my di Materials used and information reported ab	
Diameter of well bore to bottom of seal in.	best knowledge and belief	
Diameter of well bore below seal in.	[Signed] (Drifting Machine Operator)	te 7-11, 1978
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No	134
How was cement grout placed? grout not disturbed	Diffing Wathine Operator's Excense 110	
Programme and the second secon	Water Well Contractor's Certification:	
The state of the s	This well was drilled under my jurisdicti	on and this report is
Week a drive sheet words T. Van C. Va	true to the best of my knowledge and belief	
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Crawford Well Drilling	
Did any strata contain unusable water?  Yes X No	(Person, firm or corporation)  1245 NW Lower Bridge Terre	bonne. Ore.
Type of water? depth of strata	Address Address	, , , , , , , , , , , , , , , , , , , ,
Method of sealing strata off	[Signed] Range K Land	no
Was well gravel packed? Tyes No Size of gravel:	(Water Well Compact	)r)
Gravel placed from	Contractor's License No. 570 Date	7-11 19 7