## RECEIVED

WATER WELL REPORT
STATE OF OREGON

JUN 3 1981

WATER RESOURCES DEPT

State Well No. State Well No. State Well No. State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:
Name Dennis Nason	County Deschutes Driller's well number
Address P.O. Box 865	4 4 Section 31 T. 15S R. 11E W.M.
City Sisters State Ore. 97759	Tax Lot # Lot 2 Blk Subdivision
2) TYPE OF WORK (check):	Address at well location: Gist Road
New Well □ Deepening □ Reconditioning □ Abandon □ f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
	Depth at which water was first found 295 ft.
3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 295 ft. below land surface. Date 6-1-81
Rotary Air Diriven   Domestic 🖰 Industrial   Municipal   Rotary Mud   Dug   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date
□ Bored 🖾 Thermal: Withdrawal □ Reinjection □	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel X Plastic Threaded Welded Welded In the control of th	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level
	and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
5.5/16iaΩ.fDom. +1 ft to 334 ft. Gauge 188	Lava 290 292
	Grey Sand & Red Cinders W.Bear 292 303
(6) PERFORATIONS: Perforated? ⊠ Yes □ No  Type of perforator used	Lava 303 340
Size of perforations 3/16 in. by 4 in.	
400 perforations from 294 ft. to 334 ft.	
perforations fromft. toft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? ☐ Yes ☒ No Manufacturer's Name	
Type	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
Drawdown is amount water level is lowered	
501011 Bulle 20101	
Wes a pump test made? X Yes No If yes, by whom? Contractor	
d: 20 gal./min. with 0 ft. drawdown after 1 hrs.	
Air test gal./min. with drill stem at ft. hrs.	
Bailer test 6 gal/min, with 0 ft. drawdown after 1 hrs.	
Artesian flow g.p.m.	
perature of water 54* Depth artesian flow encountered ft.	Work started 5-22 19 81 Completed 6-1 19 83
(9) CONSTRUCTION: Special standards: Yes  No	Date well drilling machine moved off of well 6-1 19 8
Well seal—Material used Not Disturbed	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal in.	[Signed] Date 6-2, 19.81
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 5.5.8
How was cement grout placed?	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
W. Silhm up 3 Doub 333 54	the best of my knowledge and belief.
Was pump installed?yes	Name Orvail Buckner Well Drilling, Inc.
Did any strata contain unusable water?   Yes   No	(Person, firm or corporation)  Address 1686 N.E. Negus Way Redmond, Ore. 97756
Type of Water? depth of strata	() '048 6 /
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes ☒ No Size of gravel:	Contractor's License No. 608 Date 6-2 ,19.81
Gravel placed from	