NOTICE TO WATER WELL CONTRACTOR
The original and first copy DECE WELL REPORT filed with the JAN4 - 1972state of oregon STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the daSTATE ENGINEER type or print) SALEM. OR (Po not write above this line) late Permit No. of well completion. (10) LOCATION OF WELL: (1) OWNER: Name Robert W. Peterson County Deschates Driller's well number Address Star Route 14 M. Section / O T. /5 SR. /) RP. dmand one. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): 111'6" from N.F. property Corner of New Well Reconditioning [Deepening | Abandon 📋 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven 🛘 Domestic | Industrial | Municipal | ft. below land surface. Date Dec 6 Cable Jetted [Irrigation ☐ Test Well ☐ Other Artesian pressure ibs. per square inch. Date CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing 6 10. " Diam from O ft. to 290 ft. Gage 250 Depth drilled 290 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials;" Diam. from and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: Cast Perforated? A Yes I No. Type of perforator used with Conitting torch position of Static Water Level and indicate principal water-bearing strata. MATERIAL Size of perforations Soil perforations from 269 ft. to Grav Lava 50 perforations from 65 perforations from ... Brown Sandstone Black Sandstone (7) SCREENS: Well screen installed? Yes No -our Sand Stone Manufacturer's Name Black Sand Stone Brown Sandston e Diam. ____ Slot size ____ Set from ____ Rlack Sund water Diam. Slot size Set from Bearing rown Sandstone (8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes No If yes, by whom? gal./min. with ft. drawdown after Bailer test gal./min. with Oft. drawdown after perature of water 55 Depth artesian flow encountered Work started NOV. 5 197/ Completed Dec. 6 Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used Bentonite Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to 22 best knowledge and belief.
[Signed] Diameter of well bore below seal (Drilling Machine Operator) Number of sacks of cement used in well seal Drilling Machine Operator's License No. 415 Number of sacks of bentonite used in well seal Brand name of bentonite Oregon Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge, and belief. Was a drive shoe used? Yes No Plugs Size: location ft. Name Delbert R. Linn
(Person, firm or corporation) Did any strata contain unusable water?

Yes No Type of water? depth of strata Method of sealing strata off Was well gravel packed?

Yes No Size of gravel: (Water Well Contractor)
Contractor's License No. 441 Date DRCs. Gravel placed from